

Clinical Versus Actuarial Judgment

ROBYN M. DAWES, DAVID FAUST, PAUL E. MEEHL

Professionals are frequently consulted to diagnose and predict human behavior; optimal treatment and planning often hinge on the consultant's judgmental accuracy. The consultant may rely on one of two contrasting approaches to decision-making—the clinical and actuarial methods. Research comparing these two approaches shows the actuarial method to be superior. Factors underlying the greater accuracy of actuarial methods, sources of resistance to the scientific findings, and the benefits of increased reliance on actuarial approaches are discussed.

A PSYCHIATRIC PATIENT DISPLAYS AMBIGUOUS SYMPTOMS. Is this a condition best treated by psychotherapy alone or might it also require an antipsychotic medication with occasionally dangerous side effects? An elderly patient complains of memory loss but neurologic examination and diagnostic studies are equivocal. The neuropsychologist is asked to administer tests to help rule out progressive brain disease. A medical work-up confirms a patient's worst fears: he has terminal cancer. He asks the doctor how long he has to put his life in order.

These three brief scenarios illustrate a few of the many situations in which experts are consulted to diagnose conditions or to predict human outcomes. Optimal planning and care often hinge on the consultant's judgmental accuracy. Whether as physicians, psychiatrists, or psychologists, consultants perform two basic functions in decision-making: they collect and interpret data. Our interest here is in the interpretive function, specifically the relative merits of clinical versus actuarial methods.

Methods of Judgment and Means of Comparison

In the clinical method the decision-maker combines or processes information in his or her head. In the actuarial or statistical method the human judge is eliminated and conclusions rest solely on empirically established relations between data and the condition or event of interest. A life insurance agent uses the clinical method if data on risk factors are combined through personal judgment. The agent uses the actuarial method if data are entered into a formula, or tables and charts that contain empirical information relating these background data to life expectancy.

Clinical judgment should not be equated with a clinical setting or

a clinical practitioner. A clinician in psychiatry or medicine may use the clinical or actuarial method. Conversely, the actuarial method should not be equated with automated decision rules alone. For example, computers can automate clinical judgments. The computer can be programmed to yield the description "dependency traits," just as the clinical judge would, whenever a certain response appears on a psychological test. To be truly actuarial, interpretations must be both automatic (that is, prespecified or routinized) and based on empirically established relations.

Virtually any type of data is amenable to actuarial interpretation. For example, interview observations can be coded quantitatively (patient appears withdrawn: [1] yes, [2] no). It is thereby possible to incorporate qualitative observations and quantitative data into the predictive mix. Actuarial output statements, or conclusions, can address virtually any type of diagnosis, description, or prediction of human interest.

The combination of clinical and actuarial methods offers a third potential judgment strategy, one for which certain viable approaches have been proposed. However, most proposals for clinical-actuarial combination presume that the two judgment methods work together harmoniously and overlook the many situations that require dichotomous choices, for example, whether or not to use an antipsychotic medication, grant parole, or hospitalize. If clinical and actuarial interpretations agree, there is no need to combine them. If they disagree, one must choose one or the other. If clinical interpretation suggests brain damage but the actuarial method indicates otherwise, one does not conclude that the patient is and is not brain damaged.

Although some research appeared on clinical and actuarial judgment before the mid-fifties, Meehl (1) introduced the issue to a broad range of social scientists in 1954 and stimulated a flurry of studies. Meehl specified conditions for a fair comparison of the two methods.

First, both methods should base judgments on the same data. This condition does not require that clinical judge and statistical method, before comparison, use the same data to derive decision strategies or rules. The clinician's development of interpretive strategies depends on prior experience and knowledge. The development of actuarial methods requires cases with known outcome. The clinical and actuarial strategies may thus be derived from separate or overlapping data bases, and one or the other may be based on more or fewer cases or more or less outcome information. For example, the clinician may have interpreted 1000 intelligence tests for indications of brain dysfunction and may know the outcome for some of these cases based on radiologic examination. The actuarial method may have been developed on the subset of these 1000 cases for which outcome is known.

Second, one must avoid conditions that can artificially inflate the accuracy of actuarial methods. For example, the mathematical procedures (such as regression analysis or discriminant analysis) used to develop statistical actuarial decision rules may capitalize on chance (nonrepeating) relations among variables. Thus, derivation

R. M. Dawes is head of the Department of Social and Decision Sciences and professor of psychology, Carnegie Mellon University, Pittsburgh, PA 15213. D. Faust is director of psychology, Rhode Island Hospital, Providence, RI 02903, and associate professor, Department of Psychiatry and Human Behavior, Brown University Program in Medicine. P. E. Meehl is Regents' Professor of Psychology and professor of psychiatry and philosophy of science, University of Minnesota, Minneapolis, MN 55455.

typically should be followed by cross-validation, that is, application of the decision rule to new or fresh cases, or by a standard statistical estimate of the probable outcome of cross-validation. Cross-validation counters artificial inflation in accuracy rates and allows one to determine, realistically, how the method performs. Such application is essential because a procedure should be shown to work where it is needed, that is, in cases in which outcome is unknown. If the method is only intended for local use or in the setting in which it was developed, the investigator may partition a representative sample from that setting into derivation and cross-validation groups. If broader application is intended, then new cases should be representative of the potential settings and populations of interest.

Results of Comparative Studies

The three initial scenarios provide examples of comparative studies. Goldberg studied the distinction between neurosis and psychosis based on the Minnesota Multiphasic Personality Inventory (MMPI), a personality test commonly used for such purposes (2, 3). This differential diagnosis is of practical importance. For example, the diagnosis of psychosis may lead to needed but riskier treatments or to denial of future insurance applications. Goldberg derived various decision rules through statistical analysis of scores on 11 MMPI scales and psychiatric patients' discharge diagnoses. The single most effective rule for distinguishing the two conditions was quite simple: add scores from three scales and then subtract scores from two other scales. If the sum falls below 45, the patient is diagnosed neurotic; if it equals or exceeds 45, the patient is diagnosed psychotic. This has come to be known as the "Goldberg Rule."

Goldberg next obtained a total of 861 new MMPIs from seven different settings, including inpatient and outpatient services from either medical school, private, or Veterans Administration hospital systems in California, Minnesota, and Ohio. The accuracy of the decision rules when applied to these new cases was compared with that of 29 judges who analyzed the same material and attempted the same distinction. Some of the judges had little or no prior experience with the MMPI and others were Ph.D. psychologists with extensive MMPI experience.

Across the seven settings, the judges achieved mean validity coefficients ranging from $r = 0.15$ to 0.43 , with a total figure of 0.28 for all cases, or 62% correct decisions. The single best judge achieved an overall coefficient of 0.39 , or 67% correct decisions. In each of the seven settings, various decision rules exceeded the judges' mean accuracy level. The Goldberg Rule performed similarly to the judges in three of the settings and demonstrated a modest to substantial advantage in four of the settings (where the rule's validity coefficient exceeded that of the judges by 0.16 to 0.31). For the total sample, the Goldberg Rule achieved a validity coefficient of 0.45 , or 70% correct decisions, thereby exceeding both the mean accuracy of the 29 judges and that of the single best judge.

Rorer and Goldberg then examined whether additional practice might alter results. Judges were given MMPI training packets consisting of 300 new MMPI profiles with the criterion diagnosis on the back, thus providing immediate and concrete feedback on judgmental accuracy. However, even after repeated sessions with these training protocols culminating in 4000 practice judgments, none of the judges equaled the Goldberg Rule's 70% accuracy rate with these test cases. Rorer and Goldberg finally tried giving a subset of judges, including all of the experts, the outcome of the Goldberg Rule for each MMPI. The judges were free to use the rule when they wished and knew its overall effectiveness. Judges generally made modest gains in performance but none could match the

rule's accuracy; every judge would have done better by always following the rule.

In another study using the same 861 MMPI protocols, Goldberg constructed mathematical (linear) models of each of the 29 judges that reproduced their decisions as closely as possible (4). Modeling judges' decisions requires no access to outcome information. Rather, one analyzes relations between the information available to the judge and the judge's decisions. In principle, if a judge weights variables with perfect consistency or reliability (that is, the same data always lead to the same decision), the model will always reproduce that judge's decisions. In practice, human decision-makers are not perfectly reliable and thus judge and model will sometimes disagree. Goldberg found that in cases of disagreement, the models were more often correct than the very judges on whom they were based. The perfect reliability of the models likely explains their superior performance in this and related studies (5).

Leli and Filskov studied the diagnosis of progressive brain dysfunction based on intellectual testing (6). A decision rule derived from one set of cases and then applied to a new sample correctly identified 83% of the new cases. Groups of inexperienced and experienced clinicians working from the same data correctly identified 63% and 58% of the new cases, respectively. In another condition, clinicians were also given the results of the actuarial analysis. Both the inexperienced and experienced clinicians showed improvement (68% and 75% correct identifications, respectively), but neither group matched the decision rule's 83% accuracy. The clinicians' improvement appeared to depend on the extent to which they used the rule.

Einhorn (7) studied the prediction of survival time following the initial diagnosis of Hodgkin's disease as established by biopsy. At the time of the study, survival time was negatively correlated with disease severity (Hodgkin's is now controllable). All of the 193 patients in the study subsequently died, thus tragically providing objective outcome information.

Three pathologists, one an internationally recognized authority, rated the patients' initial biopsy slides along nine histological dimensions they identified as relevant in determining disease severity and also provided a global rating of severity. Actuarial formulas were developed by examining relations between the pathologists' ratings and actual survival time on the first 100 cases, with the remaining 93 cases used for cross-validation and comparison. The pathologists' own judgments showed virtually no relation to survival time; cross-validated actuarial formulas achieved modest but significant relations. The study revealed more than an actuarial advantage. It also showed that the pathologists' ratings produced potentially useful information but that only the actuarial method, which was based on these ratings, tapped their predictive value.

Additional research. These three studies illustrate key features of a much larger literature on clinical versus actuarial judgment. First, the studies, like many others, met the previously specified conditions for a fair comparison.

Second, the three studies are representative of research outcomes. Eliminating research that did not protect sufficiently against inflated results for actuarial methods, there remain nearly 100 comparative studies in the social sciences. In virtually every one of these studies, the actuarial method has equaled or surpassed the clinical method, sometimes slightly and sometimes substantially (8-10). For example, in Watley and Vance's study on the prediction of college grades the methods tied (11); in Carroll *et al.*'s study on the prediction of parole violation, the actuarial method showed a slight to modest advantage (12); and in Wittman's study on the prediction of response to electroshock therapy, the actuarial method was correct almost twice as often as the clinical method (13).

The earlier comparative studies were often met with doubts about

validity and generalization. It was claimed, for example, that the studies misrepresented the clinical method either by denying judges access to crucial data sources such as interviews, by using artificial tasks that failed to tap their areas of expertise, or by including clinicians of questionable experience or expertise.

The evidence that has accumulated over the years meets these challenges. First, numerous studies have examined judgments that are not artificial but common to everyday practice and for which special expertise is claimed. Examples include the three studies described above, which involved the differential between less serious and major psychiatric disorder, the detection of brain damage, and the prediction of survival time. Other studies have examined the diagnosis of medical versus psychiatric disorder (14); the description or characterization of personality (15); and the prediction of treatment outcome (16), length of psychiatric hospitalization (17), and violent behavior (18). These are decisions that general practitioners or specialists often address, and in a number of studies investigators did not introduce judgment tasks that clinicians then performed, but rather examined decisions already made in the course of everyday practice.

Other studies have provided clinicians or judges with access to preferred sources of information. Even in 1966, Sawyer was able to locate 17 comparisons between actuarial and clinical judgment based on the results of psychological testing and interview (8). Other investigators have allowed judges to collect whatever data they preferred in whatever manner they preferred. In Carroll *et al.*'s naturalistic study on the prediction of parolees' behavior after release, the parole board did not alter the data collection procedures (12). In Dawes's study on the prediction of graduate student performance, the admissions committee relied on the same data normally used to reach decisions (19). None of the 17 comparisons reviewed by Sawyer and neither the study by Carroll *et al.* nor Dawes favored clinical over actuarial judgment.

Nor has the outcome varied within or across studies involving judges at various levels of experience or expertise. In Goldberg's study novice and experienced MMPI interpreters performed similarly when using the clinical method and neither group surpassed the actuarial method, results parallel to those of Leli and Filskov in their study on the detection of brain damage (2, 6). Other studies on the detection and localization of brain damage have yielded similar results (20, 21). For example, Wedding found that neither clinicians with extensive experience interpreting the tests under study nor a nationally prominent neuropsychologist surpassed the overall accuracy of actuarial methods in determining the presence, location, and cause of brain damage (20).

The comparative studies often do not permit general conclusions about the superiority of one or another specific actuarial decision rule. Some studies, such as Goldberg's, do show application across settings, but much of the research has involved restricted samples. Investigators have been less interested in a specific procedure's range of application than in performing an additional test of the two methods and thereby extending the range of comparative studies.

The various studies can thus be viewed as repeated sampling from a universe of judgment tasks involving the diagnosis and prediction of human behavior. Lacking complete knowledge of the elements that constitute this universe, representativeness cannot be determined precisely. However, with a sample of about 100 studies and the same outcome obtained in almost every case, it is reasonable to conclude that the actuarial advantage is not exceptional but general and likely encompasses many of the unstudied judgment tasks. Stated differently, if one poses the query: "Would an actuarial procedure developed for a particular judgment task (say, predicting academic success at my institution) equal or exceed the clinical method?", the available research places the odds solidly in favor of

an affirmative reply. "There is no controversy in social science that shows such a large body of qualitatively diverse studies coming out so uniformly . . . as this one" (9, p. 373).

Possible exceptions. If fair comparisons consistently favor the actuarial method, one may then reverse the impetus of inquiry and ask whether there are certain circumstances in which the clinical judge might beat the actuary. Might the clinician attain superiority if given an informational edge? For example, suppose the clinician lacks an actuarial formula for interpreting certain interview results and must choose between an impression based on both interview and test scores and a contrary actuarial interpretation based on only the test scores. The research addressing this question has yielded consistent results (8, 10, 22). Even when given an information edge, the clinical judge still fails to surpass the actuarial method; in fact, access to additional information often does nothing to close the gap between the two methods.

It is not difficult to hypothesize other circumstances in which the clinical judge might improve on the actuarial method: (i) judgments mediated by theories and hence difficult or impossible to duplicate by statistical frequencies alone, (ii) select reversal of actuarial conclusions based on the consideration of rare events or utility functions that are not incorporated into statistical methods, and (iii) complex configurational relations between predictive variables and outcome (23-25).

The potential superiority of theory-mediated judgments over conclusions reached solely on the basis of empirical frequencies may seem obvious to those in the "hard" sciences. Prediction mediated by theory is successful when the scientist has access to the major causal influences, possesses accurate measuring instruments to assess them, and uses a well-corroborated theory to make the transition from theory to fact (that is, when the expert has access to a specific model). Thus, although most comparative research in medicine favors the actuarial method overall, the studies that suggest a slight clinical advantage seem to involve circumstances in which judgments rest on firm theoretical grounds (26).

The typical theory that underlies prediction in the social sciences, however, satisfies none of the needed conditions. Prediction of treatment response or violent behavior may rest on psychodynamic theory that permits directly contradictory conclusions and lacks formal measurement techniques. Theory-mediated judgments may eventually provide an advantage within psychology and other social sciences, but the conditions needed to realize this possibility are currently but a distant prospect or hope.

Clinicians might be able to gain an advantage by recognizing rare events that are not included in the actuarial formula (due to their infrequency) and that countervail the actuarial conclusion. This possibility represents a variation of the clinical-actuarial approach, in which one considers the outcome of both methods and decides when to supersede the actuarial conclusion. In psychology this circumstance has come to be known as the "broken leg" problem, on the basis of an illustration in which an actuarial formula is highly successful in predicting an individual's weekly attendance at a movie but should be discarded upon discovering that the subject is in a cast with a fractured femur (1, 25). The clinician may beat the actuarial method if able to detect the rare fact and decide accordingly. In theory, actuarial methods can accommodate rare occurrences, but the practical obstacles are daunting. For example, the possible range of intervening events is infinite.

The broken leg possibility is easily studied by providing clinicians with both the available data and the actuarial conclusion and allowing them to use or countervail the latter at their discretion. The limited research examining this possibility, however, all shows that greater overall accuracy is achieved when clinicians rely uniformly on actuarial conclusions and avoid discretionary judgments (3, 8).

When operating freely, clinicians apparently identify too many "exceptions," that is, the actuarial conclusions correctly modified are outnumbered by those incorrectly modified. If clinicians were more conservative in overriding actuarial conclusions they might gain an advantage, but this conjecture remains to be studied adequately.

Consideration of utilities raises a related possibility. Depending on the task, certain judgment errors may be more serious than others. For example, failure to detect a condition that usually remits spontaneously may be of less consequence than false identification of a condition for which risky treatment is prescribed. The adjustment of decision rules or cutting scores to reduce either false-negative or false-positive errors can decrease the procedure's overall accuracy but may still be justified if the consequences of these opposing forms of error are unequal. As such, if the clinician's counter-actuarial judgments, although less likely than the actuarial to be correct, were shown empirically to lower the probability of the rule's deliverances being correct (say, from 0.8 to 0.6), then in some contexts consideration of the joint probability-utility function might rationally reverse the action suggested by reliance on the formula alone. This procedure is formally equivalent to putting the clinician's judgment (as a new variable) into the actuarial equation, and more evidence on this process is needed to adequately appraise its impact. Here again, one cannot assume that the clinician's input helps. The available research suggests that formal inclusion of the clinician's input does not enhance the accuracy, nor necessarily the utility, of the actuarial formula and that informal or subjective attempts at adjustment can easily do more harm than good (8).

The clinician's potential capacity to capitalize on configural patterns or relations among predictive cues raises two related but separable issues that we will examine in order: the capacity to recognize configural relations and the capacity to use these observations to diagnose and predict. Certain forms of human pattern recognition still cannot be duplicated or equaled by artificial means. The recognition of visual patterns has challenged a generation of researchers in the field of artificial intelligence. Humans maintain a distinct advantage, for example, in the recognition of facial expressions. Human superiority also exists for language translation and for the invention of complex, deep-structure theories. Thus, for example, only the human observer may recognize a particular facial expression or mannerism (the float-like walk of certain schizophrenic patients) that has true predictive value. These observational abilities provide the potential for gathering useful (predictive) information that would otherwise be missed.

The possession of unique observational capacities clearly implies that human input or interaction is often needed to achieve maximal predictive accuracy (or to uncover potentially useful variables) but tempts us to draw an additional, dubious inference. A unique capacity to observe is not the same as a unique capacity to predict on the basis of integration of observations. As noted earlier, virtually any observation can be coded quantitatively and thus subjected to actuarial analysis. As Einhorn's study with pathologists and other research shows, greater accuracy may be achieved if the skilled observer performs this function and then steps aside, leaving the interpretation of observational and other data to the actuarial method (7).

Factors Underlying the Superiority of Actuarial Methods

Contrasts between the properties of actuarial procedures and clinical judgment help to explain their differing success (27). First, actuarial procedures, unlike the human judge, always lead to the same conclusion for a given data set. In one study rheumatologists's

and radiologists's reappraisals of cases they themselves had evaluated previously often resulted in different opinions (28). Such factors as fatigue, recent experience, or seemingly minor changes in the ordering of information or in the conceptualization of the case or task can produce random fluctuations in judgment (29). Random fluctuation decreases judgmental reliability and hence accuracy. For example, if the same data lead to the correct decision in one case but to a different, incorrect decision in the second case, overall accuracy will obviously suffer.

Perhaps more importantly, when properly derived, the mathematical features of actuarial methods ensure that variables contribute to conclusions based on their actual predictive power and relation to the criterion of interest. For example, decision rules based on multiple regression techniques include only the predictive variables and eliminate the nonpredictive ones, and they weight variables in accordance with their independent contribution to accurate conclusions. These achievements are essentially automatic with actuarial prediction but present formidable obstacles for human judges.

Research shows that individuals have considerable difficulty distinguishing valid and invalid variables and commonly develop false beliefs in associations between variables (30). In psychology and psychiatry, clinicians often obtain little or no information about the accuracy of their diagnoses and predictions. Consultants asked to predict violence may never learn whether their predictions were correct. Furthermore, clinicians rarely receive immediate feedback about criterion judgments (for example, diagnoses) of comparable validity to that physicians obtain when the pathologist reports at the end of a clinicopathological conference (31). Lacking sufficient or clear information about judgmental accuracy, it is problematic to determine the actual validity, if any, of the variables on which one relies. The same problem may occur if actuarial methods are applied blindly to new situations or settings without any performance checks.

In other circumstances, clinical judgments produce "self-fulfilling prophecies." Prediction of an outcome often leads to decisions that influence or bias that outcome (32). An anecdote illustrates this problem. A psychiatrist in a murder trial predicted future dangerousness, and the defendant was sentenced to death. While on death row the defendant acted violently, which appeared to support the psychiatrist's predictive powers. However, once sentenced to death this individual had little to lose; he may have acted differently had the psychiatrist's appraisal, and in turn the sentence, been different.

Additionally, known outcomes seem more predictable than they are in advance (33), and past predictions are mistakenly recalled as overly consistent with actual outcomes (34, 35). For example, Arkes *et al.* presented the same case materials to groups of physicians and asked them to assign probabilities to alternate diagnoses. When probabilities were assigned in foresight, each diagnosis was considered about equally likely. However, when the physicians were informed that one or another diagnosis had been established previously and they were then asked to state what initial diagnosis they likely would have made, they assigned the highest probability to whatever diagnosis they were told had been established (36). If one's view or recall of initial judgments is inadvertently shaped to fit whatever happens to occur, outcome information will have little or no corrective value.

The clinician is also exposed to a skewed sample of humanity and, short of exposure to truly representative samples, it may be difficult, if not impossible, to determine relations among variables. For example, suppose that about half of the adolescents appraised for a history of juvenile delinquency show subtle electroencephalographic (EEG) abnormalities. Based on these co-occurrences, the clinician may come to consider EEG abnormality a sign of delinquency or may conclude that delinquency is associated with brain dysfunction.

In fact, clinicians have often postulated these relations (37).

One cannot determine, however, whether a relation exists unless one also knows whether the sign occurs more frequently among those with, versus those without, the condition. For example, to determine whether EEG abnormality is associated with delinquency, one must also know the frequency with which delinquents do not obtain EEG abnormalities and the frequencies with which nondelinquents do and do not obtain EEG abnormalities. Further, even should a valid relation exist, one cannot determine the sign's actual utility unless one knows: (i) how much more frequently it occurs when the condition is present than when it is absent and (ii) the frequency of the condition. For example, a sign that is slightly more common among those with the condition may be of little diagnostic utility. If the condition is infrequent, then positive identifications based on the sign's presence can even be wrong in most cases, for most individuals who display the sign will not have the condition. If 10% of brain-damaged individuals make a particular response on a psychological test and only 5% of normals, but nine of ten clinic patients are not brain-damaged, most patients who show the feature will not be brain-damaged.

In practice, the clinician is far more likely to evaluate individuals with significant problems than those without them, and this skewed exposure hinders attempts to make all of the needed comparisons. In fact, empirical study shows that EEG "abnormalities" are common among normal children and further suggests that the incidence of delinquency is no greater among those with than without neurological disorder (37, 38). The formation of such false beliefs is further compounded by a decided human tendency to overattend to information consistent with one's hypotheses and to underattend to contradictory information (39). The result is that mistaken beliefs or conclusions, once formed, resist counterevidence. Error is also fostered by a tendency to disregard frequency data and instead to form diagnostic judgments based on the perceived match between one or more of the presenting symptoms (for example, EEG abnormality) and some prototype or instance of the diagnostic category (delinquency) stored in memory (40, 41).

The same factors that hinder the discovery of valid relations also promote overconfidence in clinical judgment. When the clinician misinterprets contrary evidence as indicative of judgmental accuracy, confidence will obviously be inflated. Research shows that judges are typically more confident than their accuracy warrants (42). In one study demonstrating the upper range of misappraisal, most clinicians were quite confident in their diagnosis although not one was correct (43).

The difficulty in separating valid and invalid variables on the basis of clinical experience or judgment is demonstrated in many studies examining diagnostic or predictive accuracy (44). Research shows that clinical judgments based on interviews achieve, at best, negligible accuracy or validity (12). Other studies show that clinical judgments based on psychological test results may be of low absolute validity (6, 18, 20, 21). Although clinical interviews or psychological tests can produce useful information, the clinical judge often cannot distinguish what is useful from what is useless. In all studies cited immediately above, statistical analysis of the same data uncovered useful variables or enhanced predictive accuracy.

The optimal weighting of variables is a less important advantage of the statistical method than is commonly assumed. In fact, unit (equal) weights yield predictions that correlate highly with those derived from optimally weighted composites, the only proviso being that the direction in which each predictor is related to the criterion can be specified beforehand and the predictors not be negatively correlated with each other (5, 45-47). Further, optimal weights are specific to the population in which they were derived, and any advantage gained in one setting may be lost when the same

method is applied in another setting. However, when optimal weighting adds meaningfully to predictive accuracy, the human judge is at a decided disadvantage. As Meehl (9, p. 372) has stated:

Surely we all know that the human brain is poor at weighting and computing. When you check out at a supermarket, you don't eyeball the heap of purchases and say to the clerk, "Well it looks to me as if it's about \$17.00 worth; what do you think?" The clerk adds it up. There are no strong arguments . . . from empirical studies . . . for believing that human beings can assign optimal weights in equations subjectively or that they apply their own weights consistently.

It might be objected that this analogy, offered not probatively but pedagogically, presupposes an additive model that a proponent of configural judgment will not accept. Suppose instead that the supermarket pricing rule were, "Whenever both beef and fresh vegetables are involved, multiply the logarithm of 0.78 of the meat price by the square root of twice the vegetable price"; would the clerk and customer eyeball that any better? Worse, almost certainly. When human judges perform poorly at estimating and applying the parameters of a simple or component mathematical function, they should not be expected to do better when required to weight a complex composite of these variables.

Lack of Impact and Sources of Resistance

Research on clinical versus statistical judgment has had little impact on everyday decision making, particularly within its field of origin, clinical psychology. Guilmette *et al.*'s survey showed that most psychologists specializing in brain damage assessment prefer procedures for which actuarial methods are lacking over those for which actuarial formulas are available (48). The interview remains the sine qua non of entrance into mental health training programs and is required in most states to obtain a license to practice (49). Despite the studies that show that clinical interpretation of interviews may have little or no predictive utility, actuarial interpretation of interviews is rarely if ever used, although it is of demonstrated value.

Lack of impact is sometimes due to lack of familiarity with the scientific evidence. Some clinicians are unaware of the comparative research and do not even realize an issue exists. Others still refer to earlier studies and claim that the clinician was handicapped, unaware of the subsequent research that has rendered these arguments counterfactual.

Others who know the evidence may still dismiss it based on tendentiousness or misconception. Mental health professionals' education, training, theoretical orientations and identifications, and personal values may dictate against recognition of the actuarial advantage. Some psychologists, for example, believe that the use of a predictive equation dehumanizes their clients. The position overlooks the human costs of increased error that may result.

A common anti-actuarial argument, or misconception, is that group statistics do not apply to single individuals or events. The argument abuses basic principles of probability. Although individuals and events may exhibit unique features, they typically share common features with other persons or events that permit tallied observations or generalizations to achieve predictive power. An advocate of this anti-actuarial position would have to maintain, for the sake of logical consistency, that if one is forced to play Russian roulette a single time and is allowed to select a gun with one or five bullets in the chamber, the uniqueness of the event makes the choice arbitrary.

Finally, subjective appraisal may lead to inflated confidence in the accuracy of clinical judgment and the false impression that the actuarial method is inferior. Derivation and cross-validation of an

actuarial method yields objective information on how well it does and does not perform (50). When the clinician reviews research that shows, for example, that the Goldberg Rule for the MMPI achieved 70% accuracy in a comparable setting and exceeded the performance of all 29 judges in the study, this may still seem to compare unfavorably to self-perceived judgmental powers. The immediacy and salience of clinical experience fosters the misappraisal. The clinician may recall dramatic instances in which his interpretations proved correct or in which he avoided error by countervailing an actuarial conclusion, failing to recognize or correctly tally counter instances.

Ultimately, then, clinicians must choose between their own observations or impressions and the scientific evidence on the relative efficacy of the clinical and actuarial methods. The factors that create difficulty in self-appraisal of judgmental accuracy are exactly those that scientific procedures, such as unbiased sampling, experimental manipulation of variables, and blind assessment of outcome, are designed to counter. Failure to accept a large and consistent body of scientific evidence over unvalidated personal observation may be described as a normal human failing or, in the case of professionals who identify themselves as scientific, plainly irrational.

Application of Actuarial Methods: Limits, Benefits, and Implications

The research reviewed in this article indicates that a properly developed and applied actuarial method is likely to help in diagnosing and predicting human behavior as well or better than the clinical method, even when the clinical judge has access to equal or greater amounts of information. Research demonstrating the general superiority of actuarial approaches, however, should be tempered by an awareness of limitations and needed quality controls.

First, although surpassing clinical methods, actuarial procedures are far from infallible, sometimes achieving only modest results. Second, even a specific procedure that proves successful in one setting should be periodically reevaluated within that setting and should not be applied to new settings mindlessly. Although theory and research suggest that the choice of predictive variables is often more important than their weighting, statistical techniques can be used to yield weights that optimize a procedure's accuracy when it is applied to new cases drawn from the same population. Moreover, accuracy can be easily monitored as predictions are made, and methods modified or improved to meet changes in settings and populations. Finally, efforts can be made to test whether new variables enhance accuracy.

When developed and used appropriately, actuarial procedures can provide various benefits. Even when actuarial methods merely equal the accuracy of clinical methods, they may save considerable time and expense. For example, each year millions of dollars and many hours of clinicians' valuable time are spent attempting to predict violent behavior. Actuarial prediction of violence is far less expensive and would free time for more productive activities, such as meeting unfulfilled therapeutic needs. When actuarial methods are not used as the sole basis for decisions, they can still serve to screen out candidates or options that would never be chosen after more prolonged consideration.

When actuarial methods prove more accurate than clinical judgment the benefits to individuals and society are apparent. Much would be gained, for example, by increased accuracy in the prediction of violent behavior and parole violation, the diagnosis of disorder, and the identification of effective treatment. Additionally, more objective determination of limits in knowledge or predictive power can prevent inadvertent harm. Should a confident but

incorrect clinical diagnosis of Alzheimer's disease be replaced by a far more cautious statement, or even better by the correct conclusion, we would avoid much unnecessary human misery.

Actuarial methods are explicit, in contrast to clinical judgment, which rests on mental processes that are often difficult to specify. Explicit procedures facilitate informed criticism and are freely available to other members of the scientific community who might wish to replicate or extend research.

Finally, actuarial methods—at least within the domains discussed in this article—reveal the upper bounds in our current capacities to predict human behavior. An awareness of the modest results that are often achieved by even the best available methods can help to counter unrealistic faith in our predictive powers and our understanding of human behavior. It may well be worth exchanging inflated beliefs for an unsettling sobriety, if the result is an openness to new approaches and variables that ultimately increase our explanatory and predictive powers.

The argument that actuarial procedures are not available for many important clinical decisions does not explain failure to use existent methods and overlooks the ease with which such procedures can be developed for use in special settings. Even lacking any outcome information, it is possible to construct models of judges that will likely surpass their accuracy (4, 5). What is needed is the development of actuarial methods and a measurement assurance program that maintains control over both judgment strategies so that their operating characteristics in the field are known and an informed choice of procedure is possible. Dismissing the scientific evidence or lamenting the lack of available methods will prove much less productive than taking on the needed work.

REFERENCES AND NOTES

1. P. E. Meehl, *Clinical Versus Statistical Prediction* (Univ. of Minnesota Press, Minneapolis, MN, 1954).
2. L. R. Goldberg, *Psychol. Monogr.*, 79 (no. 9) (1965).
3. ———, *Am. Psychol.* 23, 483 (1968).
4. ———, *Psychol. Bull.* 73, 422 (1970).
5. R. M. Dawes and B. Corrigan, *ibid.* 81, 95 (1974).
6. D. A. Leli and S. B. Filskov, *J. Clin. Psychol.* 40, 1435 (1984).
7. H. J. Einhorn, *Organ. Behav. Human Perform.* 7, 86 (1972).
8. J. Sawyer, *Psychol. Bull.* 66, 178 (1966).
9. P. E. Meehl, *J. Personal. Assess.* 50, 370 (1986).
10. W. M. Grove, who is conducting the first formal meta-analysis of studies in the social sciences and medicine (and a few other areas) that compared clinical and actuarial judgement, has reported a preliminary analysis in simple "box score" terms (paper presented at the Annual Meeting of the Minnesota Psychological Association, Minneapolis, 8 May 1986). The clinical method showed an advantage in only 6 of 117 studies. These exceptions mainly involved the medical field. The clinical advantage was generally slight and the rarity of this outcome across so many comparisons raises the possibility that some or most of these exceptions were statistical artifacts.
11. D. J. Watley and F. L. Vance, U.S. Office of Education Cooperative Research Project No. 2022 (University of Minnesota, Minneapolis, MN 1974).
12. J. S. Carroll et al., *Law Society Rev.* 17, 199 (1982).
13. M. P. Wittman, *Elgin Pap.* 4, 20 (1941).
14. S. Oskamp, *Psychol. Monogr.* 76 (no. 28) (1962).
15. C. C. Halbower, thesis, University of Minnesota, Minneapolis, MN (1955).
16. F. Barron, *J. Consult. Clin. Psychol.* 17, 233 (1953).
17. H. W. Dunham and B. M. Meltzer, *Am. J. Sociology* 52, 123 (1946).
18. P. D. Werner, T. L. Rose, J. A. Yesavage, *J. Consult. Clin. Psychol.* 51, 815 (1983).
19. R. M. Dawes, *Am. Psychol.* 26, 180 (1971).
20. D. Wedding, *Clin. Neuropsychol.* V, 49 (1983).
21. D. A. Leli and S. B. Filskov, *J. Clin. Psychol.* 37, 623 (1981).
22. J. S. Wiggins, *Clin. Psychol. Rev.* 1, 3 (1981).
23. P. E. Meehl, *J. Counseling Psychol.* 6, 102 (1959).
24. ———, *Problems in Human Assessment*, D. N. Jackson and S. Messick, Eds. (McGraw-Hill, New York, 1976), pp. 594-599.
25. ———, *J. Counseling Psychol.* 4, 268 (1957).
26. W. B. Martin, P. C. Apostolakos, H. Roazen, *Am. J. Med. Sci.* 240, 571 (1960).
27. L. R. Goldberg, in preparation.
28. J. F. Fries et al., *Arthritis Rheum.* 29, 1 (1986).
29. D. Kahneman and A. Tversky, *Am. Psychol.* 39, 341 (1984); K. R. Hammond and D. A. Summers, *Psychol. Rev.* 72, 215 (1965).
30. L. J. Chapman and J. P. Chapman, *J. Abnorm. Psychol.* 72 193 (1967); *ibid.* 74, 271 (1969).
31. P. E. Meehl, *Psychodiagnosis: Selected Papers* (Univ. of Minnesota Press, Minneapolis, MN 1973).

32. H. J. Einhorn and R. M. Hogarth, *Psychol. Rev.* **85**, 395 (1978).
33. B. Fischhoff, *J. Exper. Psychol. Human Percept. Perform.* **1**, 288 (1975).
34. ———, *New Directions for Methodology of Social and Behavioral Science*, R. A. Schweder and D. W. Fiske, Eds. (Jossey-Bass, San Francisco, CA, 1980), pp. 79–93.
35. B. Fischhoff and R. Beyth-Marom, *Organ. Behav. Human Perform.* **13**, 1 (1975).
36. H. R. Arkes et al., *J. Appl. Psychol.* **66**, 252 (1981).
37. O. Spreen, *J. Nerv. Ment. Dis.* **169**, 791 (1981).
38. A. J. Capute, E. F. L. Neidermeyer, F. Richardson, *Pediatrics* **41**, 1104 (1968).
39. A. G. Greenwald, A. R. Pratkanis, M. R. Leippe, M. H. Baumgardner, *Psychol. Rev.* **93**, 216 (1986).
40. A. Tversky and D. Kahneman, *Cognit. Psychol.* **5**, 207 (1973).
41. R. M. Dawes, *Clin. Psychol. Rev.* **6**, 425 (1986).
42. B. Fischhoff, in *Judgment Under Uncertainty*, D. Kahneman, P. Slovic, A. Tversky,

- Eds. (Cambridge Univ. Press, New York, 1982), pp. 424–444.
43. D. Faust, K. Hart, T. J. Guilmette, *J. Consul. Clin. Psychol.* **56**, 578 (1988).
44. D. Faust, *The Limits of Scientific Reasoning* (Univ. of Minnesota Press, Minneapolis, MN, 1984).
45. H. J. Einhorn and R. M. Hogarth, *Organ. Behav. Human Perform.* **13**, 171 (1975).
46. H. Wainer, *Psychol. Bull.* **85**, 267 (1978).
47. S. S. Wilks, *Psychometrika* **8**, 23 (1938).
48. T. J. Guilmette, D. Faust, K. Hart, H. R. Arkes, *Arch. Clin. Neuropsychol.*, in press.
49. *Handbook of Licensing and Certification Requirements for Psychologists in North America* (American Association of State Psychology Boards, Washington, DC, August 1987).
50. R. M. Dawes, *Am. Psychol.* **34**, 571 (1979).
51. We would like to thank S. Fienberg, B. Fischhoff, L. Furby, L. Goldberg, W. Grove, J. Kadane, and L. Yonce for their helpful comments and suggestions.

Polar Solvent Dynamics and Electron-Transfer Reactions

MARK MARONCELLI, JEAN MACINNIS, GRAHAM R. FLEMING

Polar solvents often exert a dramatic influence on reactions in solution. Equilibrium aspects of this influence involve differential solvation of reactants compared to the transition state that lead to alteration of the free-energy barrier to reaction. Such effects are well known, and often give rise changes in reaction rates of many orders of magnitude. Less well understood are effects arising from non-equilibrium, dynamical aspects of solvation. During the course of reaction, charge is rapidly redistributed among reactants. How the reaction couples to its solvent environment depends critically on how fast the solvent can respond to these changes in reactant charge distribution. In this article the dynamics of solvation in polar liquids and the influence of this dynamics on electron-transfer reactions are discussed. A molecular picture suggests that polar solvation occurs on multiple time scales as a result of the involvement of different types of solvent motion. A hierarchy of models from a homogeneous continuum model to one incorporating molecular aspects of solvation, combined with computer simulations, gives insight into the underlying dynamics. Experimental measures of solvation dynamics from picosecond and subpicosecond time-dependent Stokes shift studies are compared with the predictions of theoretical models. The implication of these results for electron-transfer reactions in solution are then briefly considered.

ASOLVENT CAN INFLUENCE A CHEMICAL REACTION IN A number of ways. It can act in a static sense to change the energies of the reactants and products (that is, the potential surface on which the reaction occurs) compared with their energies in the gas phase. The solvent can also enter into the proceedings in a more dynamic way by exchanging energy and momentum with reacting species and by responding to their changing distributions of

charge. Expressing the rate constant k of a chemical reaction as

$$k = A \exp(-\Delta G^\ddagger/k_B T) \quad (1)$$

where k_B is the Boltzman constant and T the temperature, static solvent effects exert their major influence on the free energy of activation ΔG^\ddagger . Dynamical solvent effects, on the other hand, appear in the frequency factor A . We focus our attention on this latter, dynamical aspect of the problem.

Dynamical solvent effects are usually discussed in terms of friction, which can be either of a collisional or dielectric origin. Collisional friction is important for reactions involving large-amplitude motion, such as isomerization and dissociation reactions. In these cases the solvent most often impedes reaction by being in the way of the desired reactive motion. The cage effect is a classic example of this type of interaction. Alternatively, under low-density conditions, collisions can also aid the progress of reaction by providing a source of energy needed to surmount the reactive barrier. Study of such collisional effects has a long history and many aspects of their dynamical solvent influence are well understood. Rather than discuss this first type of solvent friction further, we refer the interested reader to several excellent reviews (1).

The latter type of dynamical solvent effect involves the "dielectric" friction that arises in polar solvents. The coupling between solvent and reacting system in this case is electrostatic in origin. For electron and other charge-transfer reactions, such polar interactions can be quite strong, and it has long been recognized that the static aspects of this interaction can significantly affect reaction rates. For example, rate constants can change by many orders of magnitude when these reactions are studied in different solvents. Such dramatic changes mainly involve modification of the reactive barrier ΔG^\ddagger by polar solvation. However, dynamical aspects of polar interactions also play an important role in determining reaction rates. This fact has only been appreciated relatively recently. Current theories show that

M. Maroncelli is in the Department of Chemistry, Pennsylvania State University, University Park, PA 16802. J. MacInnis and G. R. Fleming are in the Department of Chemistry and The James Franck Institute, University of Chicago, Chicago, IL 60637.

throughout this project, Drs. M. Teresa Nezworski and R.K. McKinzey for their insights, and Dr. George Alliger for his statistical advice.

REFERENCES

- Ackerman, S.J., Clemence, A.J., Weatherill, R. & Hilsenroth, M.J. (1999). Use of the TAT in the assessment of DSM-IV Cluster B personality disorders. *Journal of Personality Assessment*, 73, 422-448.
- Ackerman, M.J., & Ackerman, M.C. (1997). Custody evaluation practices: A survey of experienced professionals (revisited). *Professional Psychology: Research and Practice*, 28, 137-145.
- Acklin, M.W. (1999). Behavioral science foundations of the Rorschach test: Research and clinical applications. *Assessment*, 6, 319-326.
- Acklin, M.W., McDowell, C.J., Verschell, M.S., & Chan, D. (2000). Interobserver agreement, intraobserver reliability, and the Rorschach Comprehensive System. *Journal of Personality Assessment*, 74, 15-47.
- Adair, H.E., & Wagner, E.E. (1992). Stability of unusual verbalizations on the Rorschach for outpatients with schizophrenia. *Journal of Clinical Psychology*, 48, 250-256.
- Adler, P.T. (1952). Evaluation of the figure drawing technique: Reliability, factorial structure, and diagnostic usefulness. *Journal of Consulting and Clinical Psychology*, 33, 52-57.
- Aiken, L.R. (1996). *Personality assessment: Methods and practices*. Seattle: Hogrefe and Huber.
- Aldridge, N.C. (1998). Strengths and limitations of forensic child sexual abuse interviews with anatomical dolls: An empirical review. *Journal of Psychopathology and Behavioral Assessment*, 20, 1-41.
- American Psychiatric Association (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.). Washington, D.C.: Author.
- American Psychological Association (1992). Ethical principles of psychologists and code of conduct. *American Psychologist*, 47, 1597-1611.
- Anastasi, A. (1982). *Psychological testing*. NY: MacMillan.
- Anderson, J.W. (1999). Henry A. Murray and the creation of the Thematic Apperception Test. In L. Geiser & M.I. Stein (Eds.), *Evocative Images: The Thematic Apperception Test and the art of projection* (pp. 23-38). Washington, D.C.: American Psychological Association.
- Arnold, M.B. (1962). *Story sequence analysis*. NY: Columbia University Press.
- Archer, R.P. (1999). Introduction to a special section: Perspectives on the Rorschach. *Assessment*, 6, 307-311.
- Archer, R.P., & Krishnamurthy, R. (1993a). Combining the Rorschach and the MMPI in the assessment of adolescents. *Journal of Personality Assessment*, 60, 132-140.
- Archer, R.P., & Krishnamurthy, R. (1993b). A review of MMPI and Rorschach interrelationships in adult samples. *Journal of Personality Assessment*, 61, 277-293.
- Archer, R.P., & Krishnamurthy, R. (1997). MMPI-A and Rorschach indices related to depression and conduct disorder: An evaluation of the incremental validity hypothesis. *Journal of Personality Assessment*, 69, 517-533.
- Aronow, E., & Reznikoff, M. (1973). Attitudes toward the Rorschach test expressed in book reviews: A historical perspective. *Journal of Personality Assessment*, 37, 309-315.
- Aronow, E. & Reznikoff, M. (1976). *Rorschach content interpretation*. NY: Grune & Stratton.
- Aronow, E., Reznikoff, M., & Moreland, K. (1995). The Rorschach: Projective technique or psychometric test? *Journal of Personality Assessment*, 64, 213-228.
- Aylward, E., Walker, E., & Bettles, B. (1984). Intelligence in schizophrenia. *Schizophrenia Bulletin*, 10, 430-459.
- Ball, J.D., Archer, R.P., & Imhof, E.A. (1994). Time requirements of psychological testing: A survey of practitioners. *Journal of Personality Assessment*, 63, 239-249.
- Barends, A., Westen, D., Byers, S., Leigh, J., & Silbert, D. (1990). Assessing affect-tone of relationship paradigms from TAT and interview data. *Psychological Assessment*, 2, 329-332.
- Bellak, L. (1975). *The T.A.T., C.A.T., and S.A.T. in clinical use* (3rd ed.). NY: Grune & Stratton.
- Beyerstein, B.L., & Beyerstein, D.F. (1992). *The Write Stuff: Evaluations of graphology - the study of handwriting analysis*. Buffalo, NY: Prometheus Books.
- Bilett, J.L., Jones, N.F., & Whitaker, L.C. (1982). Exploring schizophrenic thinking in older adolescents with the WAIS, Rorschach, and WIST. *Journal of Clinical Psychology*, 38, 232-243.
- Blatt, S.J., Wein, S.J., Chevron, E.S., & Quinlan, D.M. (1979). Parental representatives and depression in normal young adults. *Journal of Abnormal Psychology*, 88, 388-397.
- Blum, G.S. (1950). *The Blacky Pictures: Manual of Instructions*. NY: Psychological Corporation.
- Board of Professional Affairs (1998). Awards for distinguished professional contributions: John Exner. *American Psychologist*, 53, 391-392.
- Bornstein, R.F. (1996). Construct validity of the Rorschach Oral Dependency Scale: 1967-1995. *Psychological Assessment*, 8, 200-205.
- Bornstein, R.F. (1999). Criterion validity of objective and projective dependency tests: A meta-analytic assessment of behavioral prediction. *Psychological Assessment*, 11, 48-57.
- Borstellmann, L.J., & Klopfer, W.G. (1953). The Szondi Test: A review and critical evaluation. *Psychological Bulletin*, 50, 112-132.
- Boscan, D.C. (2000). The Rorschach test: A Mexican sample using the Comprehensive System. (Doctoral dissertation, The Fielding Institute, 1999). *Dissertation Abstracts International*, 60, 4285B.
- Browning, D.L. (1986). Psychiatric ward behavior and length of stay in adolescent and young adult inpatients: A developmental approach to prediction. *Journal of Consulting and Clinical Psychology*, 54, 227-230.
- Bruhn, A.R. (1992). The Early Memories Procedure: A projective test of autobiographical memory: I. *Journal of Personality Assessment*, 58, 1-15.
- Buck, J.N. (1964). *The House-Tree-Person manual supplement*. Beverly Hills, CA: Western Psychological Services.
- Burns, R.C. (1987). *Kinetic-House-Tree Person Drawings (K-H-T-P): An interpretive manual*. NY: Bruner-Mazel.
- Bursik, K. (1991). Adaptation to divorce and ego development in adult women. *Journal of Personality and Social Psychology*, 60, 300-306.
- Butcher, J.N., Nezami, E., & Exner, J.E. (1998). Psychological assessment of people in diverse cultures. In S.S. Kazarian & D.R. Evans (Eds.), *Cultural Clinical Psychology* (pp. 61-105). NY: Oxford University Press.
- Campbell, D.T., & Fiske, D.W. (1959). Convergent and discriminant validation by the multitrait-multimethod matrix. *Psychological Bulletin*, 56, 81-105.
- Caplehorn, W.F., & Sutton, A.J. (1965). Need achievement and its relation to school performance, anxiety, and intelligence. *Australian Journal of Psychology*, 17, 44-51.
- Carlson, K., Quinlan, D., Tucker, G., & Harrow, M. (1973). Body disturbance and sexual elaboration factors in figure drawings of schizophrenic patients. *Journal of Personality Assessment*, 37, 56-63.
- Cattell, R.B. (1957). *Personality and motivation: Structure and measurement*. NY: World Book Company.
- Chapman, L.J., & Chapman, J.P. (1967). Genesis of popular but erroneous psychodiagnostic observations. *Journal of Abnormal Psychology*, 72, 193-204.
- Chapman, L.J., & Chapman, J.P. (1969). Illusory correlation as an obstacle to the use of valid psychodiagnostic observations. *Journal of Abnormal Psychology*, 74, 271-280.
- Cohen, J.E. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Hillsdale, NJ: Lawrence Erlbaum.
- Chase, D.A. (1987). An analysis of Human Figure and Kinetic Family Drawings of sexually abused children and adolescents. *Dissertation Abstracts International*, 48 (2A), 338.
- Cochrane, C.T. (1972). Effects of diagnostic information on empathic understanding by the therapist in a psychotherapy analogue. *Journal of Consulting and Clinical Psychology*, 38, 359-365.
- Coleman, M.J., Carpenter, J.T., Warenaux, C., Levy, D.L., Shenton, M.E., Perry, J., Medoff, D., Wong, H., Monach, D., Meyer, P., O'Brian, C., Valentino, C., Robinson, D., Smith, M., Makowski, D., & Holzman, P.S. (1993). The Thought Disorder Index: A reliability study. *Psychological Assessment*, 5, 336-342.
- Conger, A.J., & Jackson, D.N. (1972). Suppressor variables, prediction, and the interpretation of psychological relationships. *Educational and Psychological Measurement*, 32, 579-599.

Scientific Status of Projective Techniques

- Cooper, H., DeNeve, K., & Charlton, K. (1997). Finding the missing science: The fate of studies submitted for review by a human subjects committee. *Psychological Methods*, 2, 447-452.
- Costa, P.T., & McCrae, R.R. (1993). Ego development and trait models of personality. *Psychological Inquiry*, 4, 20-23.
- Costello, R.M. (1998). Psychometric definition of Rorschach determinant component structure. *European Journal of Psychological Assessment*, 14, 116-123.
- Craddick, R. (1961). Size of Santa Claus drawings as a function of time before and after Christmas. *Journal of Psychological Studies*, 12, 121-125.
- Cramer, P. (1991). *The development of defense mechanisms: Theory, research, and assessment*. NY: Springer-Verlag.
- Cramer, P. (1999). Ego functions and ego development: Defense mechanisms and intelligence as predictors of ego level. *Journal of Personality*, 67, 735-760.
- Cramer, P. (1999). Future directions for the Thematic Apperception Test. *Journal of Personality Assessment*, 72, 74-92.
- Cramer, P., & Block, J. (1998). Preschool antecedents of defense mechanism use in young adults: A longitudinal study. *Journal of Personality and Social Psychology*, 74, 159-169.
- Cramer, P., & Gaul, R. (1988). The effects of success and failure on children's use of defense mechanisms. *Journal of Personality*, 56, 729-742.
- Cressen, R. (1975). Artistic quality of drawings and judges' evaluations of the DAP. *Journal of Personality Assessment*, 39, 132-137.
- Cronbach, L.J., & Meehl, P.E. (1955). Construct validity in psychological tests. *Psychological Bulletin*, 52, 281-302.
- Currie, S.F., Holtzman, W.H., & Swartz, J.D. (1974). Early indicators of personality traits viewed retrospectively. *Journal of School Psychology*, 12, 51-59.
- Cvetkovic, R. (1979). Conception and representation of space in human figure drawings by schizophrenic and normal subjects. *Journal of Personality Assessment*, 43, 247-256.
- Dana, R.H. (1955). Clinical diagnosis and objective TAT scoring. *Journal of Consulting Psychology*, 20, 33-36.
- Dana, R.H. (1993). *Multicultural assessment perspectives for professional psychology*. Boston: Allyn & Bacon.
- Dana, R.H. (Ed.). (2000). *Handbook of cross-cultural and multicultural personality assessment*. Mahwah, New Jersey: Erlbaum.
- Daubert v. Merrell Dow Pharmaceuticals, Inc., 113 S.Ct. 2786 (1993).
- Dawes, R.M. (1993). Prediction of the future versus an understanding of the past: A basic asymmetry. *American Journal of Psychology*, 106, 1-24.
- Dawes, R.M. (1994). *House of cards: Psychology and psychotherapy built on myth*. New York: The Free Press.
- Dawes, R.M. (1999). Two methods for studying the incremental validity of a Rorschach variable. *Psychological Assessment*, 11, 297-302.
- Dawes, R.M., Faust, D., & Meehl, P.E. (1989). Clinical versus actuarial judgment. *Science*, 243, 1668-1674.
- Depue, R.A., & Collins, P.F. (1999). Neurobiology of the structure of personality: Dopamine, facilitation of incentive motivation, and extraversion. *Behavioral and Brain Sciences*, 22, 491-569.
- Dodge, K.A., & Frame, C.L. (1982). Social cognitive deficits and biases in aggressive boys. *Child Development*, 53, 8-22.
- Dodge, K.A., Murphy, R.R., & Buchsbaum, K. (1984). The assessment of intention-cue detection skills in children: Implications for developmental psychopathology. *Child Development*, 55, 163-173.
- Dollinger, S., & Cramer, P. (1990). Children's defensive responses and emotional upset following a disaster: A projective assessment. *Journal of Personality Assessment*, 54, 116-127.
- Dosajh, N.L. (1996). Projective techniques with particular reference to inkblot tests. *Journal of Projective Psychology and Mental Health*, 3, 59-68.
- Drachnik, C. (1994). The tongue as a graphic symbol of sexual abuse. *Art Therapy*, 11, 58-61.
- Dudley, H.K., Craig, E.M., Mason, M., & Hirsch, S.M. (1976). Drawings of the opposite sex: Continued use of the Draw-A-Person test and young state hospital patients. *Journal of Adolescence*, 5, 201-219.
- Durand, V.M., Blanchard, E.B., & Mindell, J.A. (1988). Training in projective testing: A survey of clinical training directors and internship directors. *Professional Psychology: Research and Practice*, 19, 236-238.
- Emmons, R.A., & McAdams, D.P. (1991). Personal strivings and motive dispositions: Exploring the links. *Personality and Social Psychology Bulletin*, 17, 648-654.
- Entwisle, D.R. (1972). To dispel fantasies about fantasy-based measures of achievement motivation. *Psychological Bulletin*, 77, 377-391.
- Epstein, S. (1979). The stability of behavior: I. On predicting more of the people most of the time. *Journal of Personality and Social Psychology*, 37, 1097-1126.
- Eron, L. (1950). A normative study of the TAT. *Psychological Monographs*, 64 (Whole No. 315).
- Erstad, D. (1996). An investigation of older adults' less frequent human movement and color responses on the Rorschach (Doctoral dissertation, Marquette University, 1995). *Dissertation Abstracts International*, 57, 4084B.
- Exner, J.E. (1969). *The Rorschach systems*. New York: Grune & Stratton.
- Exner, J.E. (1974). *The Rorschach: A Comprehensive System. Volume 1*. NY: Wiley.
- Exner, J.E. (1986). *The Rorschach: A Comprehensive System. Volume 1: Basic Foundations* (2nd ed.). NY: Wiley.
- Exner, J.E. (1989). Searching for projection in the Rorschach. *Journal of Personality Assessment*, 53, 520-536.
- Exner, J.E. (1991). *The Rorschach: A Comprehensive System. Volume 2: Interpretation* (2nd ed.). NY: Wiley.
- Exner, J.E. (1992). Some comments on "A conceptual critique of the EA:es comparison in the Comprehensive Rorschach System." *Psychological Assessment*, 4, 297-300.
- Exner, J.E. (1993). *The Rorschach: A Comprehensive System. Volume 1: Basic Foundations* (3rd ed.). NY: Wiley.
- Exner, J.E. (1995). Comment on "Narcissism in the Comprehensive System for the Rorschach." *Clinical Psychology: Science and Practice*, 2, 200-206.
- Exner, J.E. (1996). A comment on "The Comprehensive System for the Rorschach: A critical examination." *Psychological Science*, 7, 11-13.
- Exner, J.E., & Weiner, I.B. (1995). *The Rorschach: A Comprehensive System. Volume 3: Assessment of children and adolescents* (2nd ed.). New York: Wiley.
- Feldman, M., & Hunt, R.G. (1958). A relation of difficulty in drawing and ratings of adjustment based on human figure drawings. *Journal of Consulting Psychology*, 22, 217-220.
- Fineman, S. (1977). The achievement motive and its measurement. Where are we now? *British Journal of Psychology*, 68, 1-22.
- Finn, S.E. (1996). *Manual for using the MMPI-2 as a therapeutic intervention*. Minneapolis: University of Minnesota Press.
- Finn, S.E., & Tonsager, M.E. (1992). Therapeutic effects of providing MMPI-2 test feedback to college students awaiting therapy. *Psychological Assessment*, 4, 278-287.
- Fleiss, J.L. (1981). *Statistical methods for rates and proportions* (2nd ed.). NY: Wiley.
- Fosberg, I.A. (1938). Rorschach reactions under varied conditions. *Rorschach Research Exchange*, 3, 12-20.
- Fosberg, I.A. (1941). An experimental study of the reliability of the Rorschach psychodiagnostic technique. *Rorschach Research Exchange*, 5, 72-84.
- Frank, L.K. (1948). *Projective methods*. Springfield, Ill.: Thomas.
- Frank, G. (1976). On the validity of hypotheses derived from the Rorschach: I. The relationship between color and affect. *Perceptual and Motor Skills*, 43, 411-427.
- Frank, G. (1978). On the validity of hypotheses derived from the Rorschach: III. The relationship between shading and anxiety. *Perceptual and Motor Skills*, 46, 531-538.
- Frank, G. (1979a). On the validity of hypotheses derived from the Rorschach: V. The relationship between form level and ego strength. *Perceptual and Motor Skills*, 48, 375-384.
- Frank, G. (1979b). On the validity of hypotheses derived from the Rorschach: VI. M and the intrapsychic life of individuals. *Perceptual and Motor Skills*, 48, 1267-1277.
- Frank, G. (1980). New directions in Rorschach research: I. The process-reactive differentiation. *Perceptual and Motor Skills*, 50, 187-191.
- Frank, G. (1993a). C' and depression. *Psychological Reports*, 72, 1184-1186.
- Frank, G. (1993b). On the meaning of movement responses on the Rorschach. *Psychological Reports*, 73, 1219-1225.
- Frank, G. (1993c). On the validity of hypotheses derived from the Rorschach: The relationship between color and affect, update 1992. *Psychological Reports*, 73, 12-14.
- Frank, G. (1993d). On the validity of hypotheses derived from the Rorschach:

- The relationship between shading and anxiety, update 1992. *Psychological Reports*, 72, 519–522.
- Frank, G. (1993e). On the validity of Rorschach's hypotheses: The relationship of space responses (S) to oppositionalism. *Psychological Reports*, 72, 1111–1114.
- Frank, G. (1993f). Use of the Rorschach to predict whether a person would benefit from psychotherapy. *Psychological Reports*, 73, 1155–1163.
- Frank, G. (1994a). On form level on the Rorschach. *Psychological Reports*, 75, 315–320.
- Frank, G. (1994b). On the prediction of aggressive behavior from the Rorschach. *Psychological Reports*, 75, 183–191.
- Frank, G. (1994c). On the prediction of suicide from the Rorschach. *Psychological Reports*, 74, 787–794.
- Frank, G. (1997). Research assessment of the clinical utility of the Rorschach. *Psychological Reports*, 81, 1255–1258.
- Freud, S. (1911). On the mechanism of paranoia. In S. Freud, *General Psychological Theory: Papers on Metapsychology*. NY: Collier Books.
- Fruich, B.C., Leverett, J.P., & Kinder, B.N. (1995). Interrelationship between MMPI-2 and Rorschach variables in a sample of Vietnam veterans with PTSD. *Journal of Personality Assessment*, 64, 312–318.
- Gadol, I. (1969). The incremental and predictive validity of the Rorschach test in personality assessment of normal, neurotic, and psychotic subjects. *Dissertation Abstracts*, 29, 3482-B (University Microfilms No. 69-4469).
- Gann, M.K. (1995). The Rorschach and other projective methods. In Jay Ziskin (Ed.), *Coping with psychiatric and psychological testimony. Vol. II: Special topics* (5th ed.) (pp. 823–884). Los Angeles, CA: Law and Psychology Press.
- Gallucci, N.T. (1990). On the synthesis of information from psychological tests. *Psychological Reports*, 67, 1243–1260.
- Garb, H.N. (1984). The incremental validity of information used in personality assessment. *Clinical Psychology Review*, 4, 641–655.
- Garb, H.N. (1989). Clinical judgment, clinical training, and professional experience. *Psychological Bulletin*, 105, 387–396.
- Garb, H.N. (1998a). Recommendations for training in the use of the Thematic Apperception Test (TAT). *Professional Psychology: Research and Practice*, 29, 621–622.
- Garb, H.N. (1998b). *Studying the clinician: Judgment research and psychological assessment*. Washington, D.C.: American Psychological Association.
- Garb, H.N. (1999). Call for a moratorium on the use of the Rorschach Inkblot in clinical and forensic settings. *Assessment*, 6, 313–315.
- Garb, H.N., Florio, C.M., & Grove, W.M. (1998). The validity of the Rorschach and the Minnesota Multiphasic Personality Inventory: Results from meta-analyses. *Psychological Science*, 9, 402–404.
- Garb, H.N., Florio, C.M., & Grove, W.M. (1999). The Rorschach controversy: reply to Parker, Hunsley, and Hanson. *Psychological Science*, 10, 293–294.
- Garb, H.N., Wood, J.M., & Lilienfeld, S.O. (2000). *The detection and assessment of child sexual abuse: An evaluation of the Rorschach, Thematic Apperception Test, and projective drawings*. Manuscript in preparation.
- Garb, H.N., Wood, J.M., & Nezworski, M.T. (2000). Projective techniques and the detection of child sexual abuse. *Child Maltreatment*, 5, 161–168.
- Garb, H.N., Wood, J.M., & Nezworski, M.T., Grove, W.M., & Stejskal, W.J. (in press). Towards a resolution of the Rorschach controversy. *Psychological Assessment*.
- Gittelman Klein, R. (1986). Questioning the clinical usefulness of projective psychological tests for children. *Developmental and Behavioral Pediatrics*, 7, 378–382.
- Glass, M.H., Bieber, S.L., & Tkachuk, M.J. (1996). Personality styles and dynamics of Alaska native and nonnative incarcerated men. *Journal of Personality Assessment*, 66, 583–603.
- Gluck, M.R. (1955). The relationships between hostility in the TAT and behavioral hostility. *Journal of Projective Techniques*, 19, 21–26.
- Golden, M. (1964). Some effects of combining psychological tests on clinical inferences. *Journal of Consulting Psychology*, 28, 440–446.
- Greene, R.L. (2000). *The MMPI-2: An interpretive manual* (2nd ed.). Boston: Allyn & Bacon.
- Gresham, F.M. (1993). "What's wrong with this picture?": Response to Motta et al.'s review of human figure drawings. *School Psychology Quarterly*, 8, 182–186.
- Grobstein, G. (1996). Human Figure Drawings and the identification of child sexual abuse. *Dissertation Abstracts International*, 57(8A), 339.
- Gronnerod, C. (1999). Rorschach interrater agreement estimates: An empirical evaluation. *Scandinavian Journal of Psychology*, 40, 115–120.
- Groth-Marnat, G. (1984). *Handbook of psychological assessment*. NY: Van Nostrand Reinhold.
- Groth-Marnat, G. (1997). *Handbook of psychological assessment* (3rd ed.). NY: Wiley.
- Groth-Marnat, G., & Roberts, L. (1998). Human figure drawings and House Tree Person drawings as indicators of self-esteem: A quantitative approach. *Journal of Clinical Psychology*, 54, 219–222.
- Grove, W.M. (Chair). APA Division 12 (Clinical) Presidential Task Force "Assessment for the Year 2000." *Report of the Task Force*. Washington, D.C.: American Psychological Association, Division 12 (Clinical Psychology).
- Grove, W.M., & Barden, R.C. (1999). Protecting the integrity of the legal system: The admissibility of testimony from mental health experts, under Daubert/Kumho analyses. *Psychology, Public Policy, and Law*, 5, 224–242.
- Gutin, N.J. (1997). Differential object representations in inpatients with narcissistic and borderline personality disorders and normal controls. *Dissertation Abstracts International*, 58 (03-B), 1532.
- Halperin, K., & Snyder, C.R. (1979). Effects of enhanced psychological test feedback on treatment outcome: Therapeutic implications of the Barnum effect. *Journal of Consulting and Clinical Psychology*, 47, 140–146.
- Hamel, M., Shaffer, T.W., & Erdberg, P. (2000). A study of nonpatient pre-adolescent Rorschach protocols. *Journal of Personality Assessment*, 75, 280–294.
- Hammer, E.F. (1958). *The clinical application of figure drawings*. Springfield, IL: C.G. Thomas.
- Hammer, E.F. (1959). Critique of Swensen's "Empirical evaluation of human figure drawings." *Journal of Projective Techniques*, 23, 30–32.
- Hammer, E.F. (1968). *The clinical application of projective drawings*. Springfield, IL: Thomas.
- Handler, L., & Habernicht, D. (1994). The Kinetic Family Drawing: A review of the literature. *Journal of Personality Assessment*, 62, 440–464.
- Handler, L., & Reyher, J. (1965). Figure drawing anxiety indices: A review of the literature. *Journal of Projective Techniques*, 29, 305–313.
- Hausser, S.T. (1976). Loevinger's model and measure of ego development: A critical review. *Psychological Bulletin*, 83, 928–995.
- Hayes, S.C., Nelson, R.O., & Jarrett, R.B. (1987). The treatment utility of assessment: A functional approach to evaluating treatment quality. *American Psychologist*, 42, 963–974.
- Hayslip, B., Lowman, R.L. (1986). The clinical use of projective techniques with the aged: A critical review and synthesis. *Clinical Gerontologist*, 5, 63–94.
- Heilbrun, K. (1992). The role of psychological testing in forensic assessment. *Law and Human Behavior*, 16, 257–272.
- Hibbard, S., Farmer, L., Wells, C., Difillipo, E., Barry, W., Korman, R., & Sloan, P. (1994). Validation of Cramer's Defense Mechanism Manual for the TAT. *Journal of Personality Assessment*, 63, 197–210.
- Hiler, E.W., & Nesvig, D. (1965). An evaluation of criteria used by clinicians to infer pathology from figure drawings. *Journal of Consulting Psychology*, 29, 520–529.
- Hiller, J.B., Rosenthal, R., Bornstein, R.F., Berry, D.T.R., Brunell-Neuleib, S. (1999). A comparative meta-analysis of Rorschach and MMPI validity. *Psychological Assessment*, 11, 278–296.
- Holaday, M., Smith, D.A., & Sherry, A. (2000). Sentence completion tests: A review of the literature and results of a survey of members of the Society for Personality Assessment. *Journal of Personality Assessment*, 74, 371–385.
- Holmes, D.S. (1974). The conscious control of thematic projection. *Journal of Consulting and Clinical Psychology*, 42, 323–329.
- Holmes, D.S. (1978). Projection as a defense mechanism. *Psychological Bulletin*, 85, 677–688.
- Holtzman, W.H. (1980). Projective techniques. In H.C. Triandis & J.W. Berry (Eds.), *Handbook of cross-cultural psychology. Methodology. Volume 2* (pp. 245–278). Boston: Allyn and Bacon.
- Holtzman, W.H., Thorpe, J.S., Swartz, J.D., & Herron, E.W. (1961). *Inkblot perception and personality*. Austin, TX: University of Texas Press.

Scientific Status of Projective Techniques

- Horowitz, M.J. (1962). A study of clinicians' judgments from projective test protocols. *Journal of Consulting Psychology, 26*, 251-256.
- Hundal, P.S., & Jerath, J.M. (1972). Correlates of projective measures of achievement motivation and their factorial structure. *Indian Journal of Psychology, 47*, 15-27.
- Hunsley, J., & Bailey, J.M. (1999). The clinical utility of the Rorschach: Unfulfilled promises and an uncertain future. *Psychological Assessment, 11*, 266-277.
- Hunsley, J., & Bailey, J.M. (in press). Whither the Rorschach? An analysis of the evidence. *Psychological Assessment*.
- Hunsley, J., Lee, C., & Wood, J.M. (in press). Controversial and questionable assessment techniques. In S.O. Lilienfeld, J.M. Lohr, & S.J. Lynn (Eds.), *Science and pseudoscience in contemporary clinical psychology*. NY: Guilford.
- Jackson, D.N. (1971). The dynamics of structured personality tests: 1971. *Psychological Review, 78*, 229-248.
- Jackson, D.N. (1993). Personality development and nonlinear measurement models. *Psychological Inquiry, 4*, 30-33.
- Jensen, A.R. (1965). A review of the Rorschach. In O.K. Buros (Ed.), *Sixth mental measurements handbook* (pp. 501-509). Highland Park, New Hampshire: Gryphon.
- Joiner, T.E., & Schmidt, K.L. (1997). Drawing conclusions - or not from drawings. *Journal of Personality Assessment, 69*, 476-481.
- Joiner, T.E., Schmidt, K.L., & Barnett, J. (1996). Size, detail, and line heaviness in children's drawings as correlates of emotional distress: (More) negative evidence. *Journal of Personality Assessment, 67*, 127-141.
- Johnson, B. (1989). *DSTAT: Software for the meta-analytic review of research literature* [Computer program]. Hillsdale, NJ: Erlbaum.
- Johnston, M., & Holzman, P.S. (1979). *Assessing schizophrenic thinking*. San Francisco: Jossey-Bass.
- Jolley, R.P. (1995). *Children's production and perception of visual metaphors for mood and emotion in line drawings and in art*. Doctoral thesis, University of Birmingham, UK.
- Jorgensen, K., Andersen, T.J., & Dam, H. (2000). The diagnostic efficiency of the Rorschach Depression Index and the Schizophrenia Index: A review. *Assessment, 7*, 259-280.
- Kagan, J. (1956). The measurement of overt aggression from fantasy. *Journal of Abnormal and Social Psychology, 52*, 390-393.
- Kahill, S. (1984). Human figure drawing in adults: An update of the empirical evidence, 1967-1982. *Canadian Psychology, 25*, 269-292.
- Kamphaus, R.W., & Pleiss, K.L. (1991). Draw-a-Person techniques: Tests in search of a construct. *Journal of School Psychology, 29*, 395-401.
- Kaplan, B. (1961). Cross-cultural use of projective techniques. In F.L.K. Hsu (Ed.), *Psychological Anthropology* (pp. 235-254). Homewood, IL: Dorsey Press.
- Karon, B.P. (1978). Projective tests are valid. *American Psychologist, 33*, 764-765.
- Karon, B.P., & O'Grady, P. (1970). Quantified judgments of mental health from the Rorschach, TAT, and clinical status interview by means of a scaling technique. *Journal of Consulting and Clinical Psychology, 34*, 229-235.
- Katz, H.E., Russ, S.W., & Overholser, J.C. (1993). Sex differences, sex roles, and projection on the TAT: Matching stimulus to examinee gender. *Journal of Personality Assessment, 60*, 186-191.
- Keiser, R.E., & Prather, E.N. (1990). What is the TAT? A review of ten years of research. *Journal of Personality Assessment, 55*, 800-803.
- Kinder, B.N. (1992). The problems of R in clinical settings and in research: Suggestions for the future. *Journal of Personality Assessment, 58*, 252-259.
- Kleiger, J.H. (1992). A conceptual critique of the EA:es comparison in the Comprehensive Rorschach System. *Psychological Assessment, 4*, 288-296.
- Klineberg, O. (1980). Historical perspectives: Cross-cultural psychology before 1960. In H.C. Triandis & W.W. Lambert (Eds.), *Handbook of cross-cultural psychology. Perspectives. Volume 1* (pp. 31-67). Boston: Allyn and Bacon.
- Klopper, W.F., & Taulbee, E. (1976). Projective tests. *Annual Review of Psychology, 27*, 543-567.
- Knoff, H.M., & Prout, H.T. (1985). The Kinetic Drawing System: A review and integration of the Kinetic Family and School Drawing Techniques. *Psychology in the Schools, 22*, 50-59.
- Kohlberg, L. (1981). *The meaning and measurement of moral development*. Worcester, MA: Clark University Press.
- Koocher, G.P., Goodman, G.S., White, C.S., Friedrich, W.N., Sivan, A.B., & Reynolds, C.R. (1995). Psychological science and the use of anatomically detailed in child sexual-abuse assessments. *Psychological Bulletin, 118*, 119-222.
- Koppitz, E.M. (1968). *Psychological evaluation of children's human figure drawing*. NY: Grune & Stratton.
- Kostlan, A. (1954). A method for the empirical study of psychodiagnosis. *Journal of Consulting Psychology, 18*, 83-88.
- Kraiger, K., Hakel, M.D., & Cornelius, E.T. (1984). Exploring fantasies of TAT reliability. *Journal of Personality Assessment, 48*, 365-370.
- Krall, V., Sachs, H., Lazar, B., Rayson, B., Growe, G., Novar, L., & O'Connell, L. (1983). Rorschach norms for inner city children. *Journal of Personality Assessment, 47*, 155-157.
- Kroon, N., Goudena, P.P., & Rispens, J. (1998). Thematic Apperception Tests for child and adolescent assessment: A practitioner's consumer guide. *Journal of Psychoeducational Assessment, 16*, 99-117.
- Kubiszyn, T.W., Meyer, G.J., Finn, S.E., Eyde, L.D., Kay, G.G., Moreland, K.L., Dies, R.R., & Eisman, E.J. (2000). Empirical support for psychological assessment in clinical health care settings. *Professional Psychology: Research and Practice, 31*, 119-130.
- Lambert, H.V. (1972). *A comparison of Jane Loevinger's theory of ego development and Lawrence Kohlberg's theory of moral development*. Unpublished doctoral dissertation, University of Chicago, Chicago, IL.
- Landis, J.R., & Koch, G.G. (1977). The measurement of observer agreement for categorical data. *Biometrics, 33*, 159-174.
- Lees-Haley, P.R. (1992). Psychodiagnostic test usage by forensic psychologists. *American Journal of Forensic Psychology, 10*, 25-30.
- Levenberg, S.B. (1975). Professional training, psychodiagnostic skill, and Kinetic Family Drawings. *Journal of Personality Assessment, 39*, 389-393.
- Levy, L.H. (1963). *Psychological interpretation*. New York: Holt, Rinehart, & Winston.
- Lewinsohn, P.M. (1964). Relationship between height of figure drawing and depression in psychiatric patients. *Journal of Consulting Psychology, 11*, 49-54.
- Lilienfeld, S.O. (1999). Projective measures of personality and psychopathology: How well do they work? *Skeptical Inquirer, 23*, 32-39.
- Lilienfeld, S.O., Hess, T., & Rowland, C. (1996). Psychopathic personality traits and temporal perspective: A test of short time horizon hypothesis. *Journal of Psychopathology and Behavioral Assessment, 18*, 285-314.
- Lindzey, G. (1959). On the classification of projective techniques. *Psychological Bulletin, 56*, 158-168.
- Lipsey, M.W. (1990). *Design sensitivity: Statistical power for experimental research*. Newbury Park: Sage Publications.
- Lipsey, M.W., & Wilson, D.B. (1993). The efficacy of psychological, educational, and behavioral treatment: Confirmation from meta-analysis. *American Psychologist, 48*, 1181-1209.
- Little, K.B., & Schneidman, E.S. (1959). Congruencies among interpretations of psychological test and anamnestic data. *Psychological Monographs* (6, Whole No. 476).
- Loevinger, J. (1957). Objective tests as instruments of psychological theory. *Psychological Reports, 3*, 635-694.
- Loevinger, J. (1976). *Ego development: Conceptions and theories*. San Francisco: Jossey-Bass.
- Loevinger, J. (1987). *Paradigms of personality*. NY: W.H. Freeman.
- Loevinger, J. (1993). Measurement of personality: True or false. *Psychological Inquiry, 4*, 1-16.
- Loevinger, J. (1998). *Technical foundations for measuring ego development: The Washington University Sentence Completion Test*. Mahwah, NJ: Erlbaum.
- Lowenstein, L.F. (1987). Are projective techniques dead? *British Journal of Projective Psychology, 32*, 2-21.
- Lucas, R.H. (1971). Validation of a test of ego development by means of a standardized interview (Doctoral dissertation, Washington University, St. Louis). *Dissertation Abstracts International, 32*, 2204B.
- Luscher, M., & Scott, I. (1969). *The Luscher Color Test*. NY: Washington Square Press.
- Machover, K. (1949). *Personality projection in the drawing of the human figure*. Springfield, Ill.: Charles C. Thomas.

- Magnussen, N.G. (1960). Verbal and non-verbal reinforcers in the Rorschach situation. *Journal of Clinical Psychology, 16*, 167-169.
- Malik, R. (1992). An exploration of object relations phenomena in borderline personality disorder. *Dissertation Abstracts International, 52* (09B), 4962.
- Masling, J. (1960). The influence of situational and interpersonal variables in projective testing. *Psychological Bulletin, 57*, 65-85.
- Masling, J. (1966). Role-related behavior of the subject and psychologist and its effect upon psychological data. In D. Levine (Ed.), *Nebraska symposium on motivation* (pp. 67-104). Lincoln: University of Nebraska Press.
- Masling, J. (1997). On the nature and utility of projective tests. *Journal of Personality Assessment, 69*, 257-270.
- Masling, J.M., Rabie, L., & Blondheim, S.H. (1967). Obesity, level of aspiration, and Rorschach and TAT measures of oral dependence. *Journal of Consulting Psychology, 31*, 233-239.
- McArthur, D.S., & Roberts, G.E. (1990). *Roberts Apperception Test for Children manual*. Los Angeles: Western Psychological Services.
- McCann, J.T. (1998). Defending the Rorschach in court: An analysis of admissibility using legal and professional standards. *Journal of Personality Assessment, 70*, 125-144.
- McClelland, D.C. (1951). *Personality*. NY: William Sloane Associates.
- McClelland, D.C. (1961). *The achieving society*. Princeton: Van Nostrand.
- McClelland, D.C. (1980). Motive dispositions: The merits of operant and respondent measures. *Review of Personality and Social Psychology, 1*, 10-41.
- McClelland, D.C. (1989). Motivational factors in health and illness. *American Psychologist, 44*, 219-233.
- McClelland, D.C., Atkinson, J.W., Clark, R.A., & Lowell, E.L. (1953). *The achievement motive*. NY: Appleton-Century-Crofts.
- McClelland, D.C., & Boyatsis, R.E. (1982). Leadership motive pattern and long-term success in management. *Journal of Applied Psychology, 67*, 737-743.
- McClelland, D.C., Koestner, R., & Weinberger, J. (1989). How do self-attributed and implicit motives differ? *Psychological Review, 96*, 690-702.
- McClelland, D.C., Ross, G., & Patel, V.T. (1985). The effect of an examination on salivary norepinephrine and immunoglobulin levels. *Journal of Human Stress, 11*, 52-59.
- McCrae, R.R., & Costa, P.T. (1980). Openness to experience and ego level in Loevinger's sentence completion test: Dispositional contributions in developmental models of personality. *Journal of Personality and Social Psychology, 39*, 1179-1190.
- McKinzey, R.K., & Ziegler, T. (1999). Challenging a flexible neuropsychological battery under Kelly/Frye: A case study. *Behavioral Sciences and the Law, 17*, 543-551.
- McNally, R.J. (1996). Cognitive bias in the anxiety disorders. *Nebraska Symposium on Motivation, 43*, 211-250.
- Meehl, P.E. (1945). The dynamics of "structured" personality tests. *Journal of Clinical Psychology, 1*, 296-303.
- Meehl, P.E. (1959). Some ruminations on the validation of clinical procedures. *Canadian Journal of Psychology, 13*, 102-128.
- Meehl, P.E. (1986). Diagnostic taxa as open concepts: Metatheoretical and statistical questions about reliability and construct validity in the grand strategy of nosological revision. In T. Millon & G. Klerman (Eds.), *Contemporary directions in psychopathology: Toward the DSM-IV* (pp. 215-231). NY: Guilford.
- Meehl, P.E., & Rosen, A. (1955). Antecedent probability and the efficiency of psychometric signs, patterns, or cutting scores. *Psychological Bulletin, 52*, 194-216.
- Meloy, J.R., & Gacono, C.B. (1995). Assessing the psychopathic personality. In J.N. Butcher (Ed.), *Clinical personality assessment* (pp. 410-422). NY: Oxford University Press.
- Meloy, J.R., & Gacono, C.B. (1998). The internal world of the psychopath. In T. Millon, E. Simonsen, M. Birket-Smith, & R.D. Davis (Eds.), *Psychopathy: Antisocial, criminal, and violent behavior* (pp. 95-109). NY: Guilford Press.
- Messick, S. (1995). Validity of psychological assessment: Validation of inferences from persons' responses and performances as scientific inquiry into score meaning. *American Psychologist, 50*, 741-749.
- Meyer, G.J. (1991). An empirical search for fundamental personality and mood dimensions within the Rorschach test (Unpublished dissertation, Loyola University of Chicago, 1989). *Dissertation Abstracts International, 52*, 1071B-1072B.
- Meyer, G.J. (1992a). Response frequency problems in the Rorschach: Clinical and research implications with suggestions for the future. *Journal of Personality Assessment, 58*, 231-244.
- Meyer, G.J. (1992b). The Rorschach's factor structure: A contemporary investigation and historical review. *Journal of Personality Assessment, 59*, 117-136.
- Meyer, G.J. (1993). The impact of response frequency on the Rorschach constellation indices and on their validity with diagnostic and MMPI-2 criteria. *Journal of Personality Assessment, 60*, 153-180.
- Meyer, G.J. (1996). The Rorschach and MMPI: Toward a more scientifically differentiated understanding of cross-method assessment. *Journal of Personality Assessment, 67*, 558-578.
- Meyer, G.J. (1997a). Assessing reliability: Critical corrections for a critical examination of the Rorschach Comprehensive System. *Psychological Assessment, 9*, 480-489.
- Meyer, G.J. (1997b). Thinking clearly about reliability: More critical corrections regarding the Rorschach Comprehensive System. *Psychological Assessment, 9*, 495-498.
- Meyer, G.J. (2000a). The incremental validity of the Rorschach Prognostic Rating Scale over the MMPI Ego Strength Scale and IQ. *Journal of Personality Assessment, 74*, 356-370.
- Meyer, G.J. (2000b). On the science of Rorschach research. *Journal of Personality Assessment, 75*, 46-81.
- Meyer, G.J., Finn, S.E., Eyde, L.D., Kay, G.G., Kubiszyn, T.W., Moreland, K.L., Eisman, E.J., & Dies, R.R. (1998). *Benefits and costs of psychological assessment in healthcare delivery: Report of the Board of Professional Affairs Psychological Assessment Work Group, Part I*. Washington, DC: American Psychological Association.
- Meyer, G.J., & Handler, L. (1997). The ability of the Rorschach to predict subsequent outcome: A meta-analysis of the Rorschach Prognostic Rating Scale. *Journal of Personality Assessment, 69*, 1-38.
- Morgan, C.D., & Murray, H.A. (1935). A method for investigating fantasies. *Archives of Neurology and Psychiatry, 34*, 289-304.
- Motta, R.W., Little, S.G., & Tobin, M.I. (1993). The use and abuse of human figure drawings. *School Psychology Quarterly, 8*, 162-169.
- Murray, H. (1938). *Explorations in personality*. NY: Oxford University Press.
- Murstein, B.T., & Easter, L.V. (1965). The role of achievement motive, anxiety, stimulus, and expectancy, on achievement motivation in arithmetic and thematic tests. *Journal of Projective Techniques and Personality Assessment, 29*, 491-497.
- Murstein, B.I., & Mathes, S. (1996). Projection on projective techniques = pathology: The problem that is not being addressed. *Journal of Personality Assessment, 66*, 337-349.
- Mussen, P.H., & Naylor, H.K. (1954). The relationships between overt and fantasy aggression. *Journal of Abnormal and Social Psychology, 49*, 235-240.
- Naglieri, J.A. (1988). *Draw A Person: A Quantitative Scoring System*. San Antonio, TX: Psychological Corporation.
- Naglieri, J.A. (1992). Review of the Hutt Adaptation of the Bender-Gestalt Test. In J.J. Kramer & J.C. Conoley (Eds.), *The Eleventh Mental Measurements Yearbook* (pp. 103-104). Lincoln, NE: Buros Institute of Mental Measurements.
- Naglieri, J.A., McNeish, T.J., & Bardos, A.N. (1991). *Draw-A-Person: Screening Procedure for Emotional Disturbance*. Austin, TX: ProEd.
- Naglieri, J.A., & Pfeiffer, S.I. (1992). Performance of disruptive behavior-disordered and normal samples on the Draw-A-Person: Screening Procedure for Emotional Disturbance. *Psychological Assessment, 4*, 156-159.
- Nakata, L.M. (1999). Interrater reliability and the Comprehensive System for the Rorschach: Clinical and non-clinical protocols (Doctoral dissertation, Pacific Graduate School of Psychology). *Dissertation Abstracts International*.
- Newman, D.L., Tellegen, A., & Bouchard, T.J. (1998). Individual differences in adult ego development: Sources of influence in twins reared apart. *Journal of Personality and Social Psychology, 74*, 985-995.
- Nezworski, M.T., & Wood, J.M. (1995). Narcissism in the Comprehensive System for the Rorschach. *Clinical Psychology: Science and Practice, 2*, 179-199.

Scientific Status of Projective Techniques

- Nichols, R.C., & Strumpfer, D.J. (1962). A factor analysis of Draw-a-Person test scores. *Journal of Consulting Psychology, 26*, 156-161.
- Oberlander, L.B. (1995). Psycholegal issues in child sexual abuse evaluations: A survey of forensic mental health professionals. *Child Abuse & Neglect, 19*, 475-490.
- O'Connell, M., Cooper, S., Perry, J.C., & Hoke, L. (1989). The relationship between thought disorder and psychotic symptoms in borderline personality disorder. *Journal of Nervous and Mental Disease, 177*, 273-278.
- Ordnuff, S.R., Freedensfeld, R., Kelsey, R.M., & Critelli, J. (1994). Object relations of sexually abused female subjects: A TAT analysis. *Journal of Personality Assessment, 63*, 223-228.
- Ordnuff, S.R., & Kelsey, R.M. (1996). Object relations of sexually and physically abused female children: A TAT analysis. *Journal of Personality Assessment, 66*, 91-105.
- Parker, K.C.H., Hanson, R.K., & Hunsley, J. (1988). MMPI, Rorschach, and WAIS: A meta-analytic comparison of reliability, stability, and validity. *Psychological Bulletin, 103*, 367-373.
- Parker, K.C.H., Hunsley, J., & Hanson, R.K. (1999). Old wine from old skins sometimes tastes like vinegar: A response to Garb, Florio, and Grove. *Psychological Science, 10*, 291-292.
- Peixotto, H.E. (1980). The Holtzman Inkblot Technique: Some new directions in inkblot testing. *Academic Psychology Bulletin, 2*, 47-52.
- Perez, F.I. (1976). Behavioral analysis of clinical judgment. *Perceptual and Motor Skills, 43*, 711-718.
- Perry, G.G., & Kinder, B.N. (1990). The susceptibility of the Rorschach to malingering: A schizophrenia analogue. In C.D. Spielberger & J.N. Butcher (Eds.), *Advances in personality assessment, Volume 9* (pp. 127-140). Hillsdale, N.J.: Erlbaum.
- Perry, W., Geyer, M.A., & Braff, D.L. (1999). Sensorimotor gating and thought disturbance measured in close temporal proximity in schizophrenic patients. *Archives of General Psychiatry, 56*, 277-281.
- Perry, W., Moore, D., & Braff, D. (1995). Gender differences on thought disturbance: Measures among schizophrenic patients. *American Journal of Psychiatry, 152*, 1298-1301.
- Perry, W., McDougall, A., & Viglione, D.J., Jr. (1995). A five-year follow-up on the temporal stability of the Ego Impairment Index. *Journal of Personality Assessment, 64*, 112-118.
- Perry, W., & Viglione, D.J., Jr. (1991). The Ego Impairment Index as a predictor of outcome in melancholic depressed patients treated with tricyclic antidepressants. *Journal of Personality Assessment, 56*, 487-501.
- Pinkerman, J.E., Haynes, J.P., & Keiser, T. (1993). Characteristics of psychological practice in juvenile court clinics. *American Journal of Forensic Psychology, 11*, 3-12.
- Piotrowski, C., & Belter, R.W. (1999). Internship training in psychological assessment: Has managed care had an impact? *Assessment, 6*, 381-385.
- Piotrowski, C., Belter, R.W., & Keller, J.W. (1998). The impact of "managed care" on the practice of psychological testing: Preliminary findings. *Journal of Personality Assessment, 70*, 441-447.
- Piotrowski, C., & Zalewski, C. (1993). Training in psychodiagnostic testing in A&A-approved PsyD and PhD clinical psychology programs. *Journal of Personality Assessment, 61*, 394-405.
- Popper, K.R. (1959). *The logic of scientific discovery*. NY: Basic Books.
- Porcerelli, J.H., Thomas, S., Hibbard, S., & Cogan, R. (1998). Defense mechanisms development in children, adolescents, and late adolescents. *Journal of Personality Assessment, 71*, 411-420.
- Psychological Corporation (1997). *Wechsler Adult Intelligence Scale, Third Edition. Wechsler Memory Scale, Third Edition. Technical Manual*. San Antonio: Author.
- Rabin, A.I. (1968). Projective methods: An historical introduction. In A.I. Rabin (Ed.), *Projective techniques in personality assessment* (pp. 3-17). NY: Grune-Stratton.
- Ricks, D., Umbarger, C., & Mack, R. (1964). A measure of increased temporal perspective in successfully treated adolescent delinquent boys. *Journal of Abnormal and Social Psychology, 69*, 685-689.
- Riethmiller, R.J., & Handler, L. (1997a). Problematic methods and unwarranted conclusions in DAP research: Suggestions for improved research procedures. *Journal of Personality Assessment, 69*, 459-475.
- Riethmiller, R.J., & Handler, L. (1997b). The Great Figure Drawing Controversy: The integration of research and clinical practice. *Journal of Personality Assessment, 69*, 488-496.
- Roback, H. (1968). Human figure drawings: Their utility in the clinical psychologist's armamentarium for personality assessment. *Psychological Bulletin, 70*, 1-19.
- Ronan, G.F., Colavito, V.A., & Hammontree, S.R. (1993). Personal problem-solving system for scoring TAT responses: Preliminary validity and reliability data. *Journal of Personality Assessment, 61*, 28-40.
- Ronan, G.F., Date, A.L., & Weisbrod, M. (1995). Personal problem-solving scoring of the TAT: Sensitivity to training. *Journal of Personality Assessment, 64*, 119-131.
- Ronan, G.F., Senn, J., Date, A., Maurer, L., House, K., Carroll, J., & van Horn, R. (1996). Personal problem-solving scoring of TAT responses: Known-groups validation. *Journal of Personality Assessment, 67*, 641-653.
- Rorschach, H. (1921). *Psychodiagnosics: A diagnostic test based on perception*. NY: Grune & Stratton.
- Rosenthal, R. (1979). The "file drawer problem" and tolerance for null results. *Psychological Bulletin, 86*, 638-641.
- Rosenzweig, S., Fleming, E.E., & Clark, H.J. (1947). *Revised Scoring Manual for the Rosenzweig Picture-Frustration Study*. St. Louis: Saul Rosenzweig.
- Rossini, E.D., & Moretti, R.J. (1997). Thematic Apperception Test (TAT) interpretation: Practice recommendations from a survey of clinical psychology doctoral program accredited by the American Psychological Association. *Professional Psychology: Research and Practice, 28*, 393-398.
- Ryan, R.M. (1985). Thematic Apperception Test. In D.J. Keyser & R.C. Swetland (Eds.), *Test critiques* (Vol. 2, pp. 799-814). Kansas City, MO: Test Corporation of America.
- Schmidt, F.L. (1992). What do data really mean? Research findings, meta-analysis, and cumulative knowledge in psychology. *American Psychologist, 47*, 1173-1181.
- Schneider, G.B. (1978). A preliminary validation study of the Kinetic School Drawing. *Dissertation Abstracts International, 38* (11-A), 6628.
- Schretlen, D.J. (1997). Dissimulation on the Rorschach and other projective measures. In R. Rogers (Ed.), *Clinical assessment of malingering and deception* (2nd ed.; pp. 208-222). NY, NY: Guilford.
- Schwartz, N.S., Mebane, D.L., & Malony, H.N. (1990). Effects of alternate modes of administration on Rorschach performance of deaf adults. *Journal of Personality Assessment, 54*, 671-683.
- Schweighofer, A., & E.M. Coles (1994). Note on the definition and ethics of projective tests. *Perceptual and Motor Skills, 79*, 51-54.
- Scribner, C.M., & Handler, L. (1987). The interpreter's personality in Draw-A-Person Interpretation: A study of interpersonal style. *Journal of Personality Assessment, 51*, 112-122.
- Sechrest, L. (1963). Incremental validity: A recommendation. *Educational and Psychological Measurement, 12*, 153-158.
- Sechrest, L., & Wallace, J. (1964). Figure drawings and naturally occurring events. *Journal of Educational Psychology, 55*, 42-44.
- Shaffer, T.W., Erdberg, P., & Haroian, J. (1999). Current nonpatient data for the Rorschach, WAIS-R, and MMPI-2. *Journal of Personality Assessment, 73*, 305-316.
- Sharkey, K.J., & Ritzler, B.A. (1985). Comparing diagnostic validity of the TAT and a new picture projection test. *Journal of Personality Assessment, 49*, 406-412.
- Silverton, L. (1993). *Adolescent Apperception Cards: Manual*. Los Angeles: Western Psychological Services.
- Sines, L.K. (1959). The relative contribution of four kinds of data to accuracy in personality assessment. *Journal of Consulting Psychology, 23*, 483-492.
- Skinner, B.F. (1938). *The behavior of organisms*. NY: Appleton-Century-Crofts.
- Smith, D., & Dumont, F. (1995). A cautionary study: Unwarranted interpretations of the Draw-A-Person Test. *Professional Psychology: Research and Practice, 26*, 298-303.
- Solovay, M., Shenton, M., Gasperetti, C., Coleman, M., Daniels, E., Carpenter, J., & Holzman, P. (1986). Scoring manual for the Thought Disorder Index. *Schizophrenia Bulletin, 12*, 483-496.
- Soskin, W.F. (1954). Bias in postdiction from projective tests. *Journal of Abnormal and Social Psychology, 49*, 69-74.
- Spangler, W.D. (1992). Validity of questionnaire and TAT measures of need for achievement: Two meta-analyses. *Psychological Bulletin, 112*, 140-154.
- Starr, B.J., & Katkin, E.S. (1969). The clinician as an aberrant actuary: Illusory

- correlation and the Incomplete Sentences Blank. *Journal of Abnormal Psychology*, 74, 670-675.
- Sternberg, R.J. (1986). *Intelligence applied: Understanding and increasing your intellectual skills*. NY: Harcourt, Brace Jovanovich.
- Stricker, G. (1967). Actuarial, naive clinical, and sophisticated clinical prediction of pathology from figure drawings. *Journal of Consulting Psychology*, 31, 492-494.
- Stricker, G., & Gold, J.R. (1999). The Rorschach: Toward a nomothetically based, idiographically applicable configurational model. *Psychological Assessment*, 11, 240-250.
- Suinn, R.M., & Oskamp, S. (1969). *The predictive validity of projective measures: A fifteen year evaluative review of research*. Springfield, IL: Charles C. Thomas.
- Sundberg, N. (1977). *Assessment of persons*. Englewood Cliffs, N.J.: Prentice Hall.
- Sutherland, S. (1992). *Irrationality: Why we don't think straight!* New Brunswick, NJ: Rutgers University Press.
- Swenson, C. (1957). Empirical evaluations of human figure drawings. *Psychological Bulletin*, 54, 431-466.
- Swenson, C. (1968). Empirical evaluations of human figure drawings: 1957-1966. *Psychological Bulletin*, 70, 20-44.
- Szondi, L. (1947). *Experimentelle Triebdiagnostik*. Bern: Verlag Hans Huber.
- Tellegen, A., & Waller, N.G. (1994). Exploring personality through test construction: In S.R. Briggs & J.M. Cheek (Eds.), *Personality measures: Development and evaluation* (Vol. 1, pp. 133-161). Greenwich, CT.: JAI Press.
- Tharinger, D.J., & Stark, K. (1990). A qualitative versus quantitative approach to evaluating the Draw-A-Person and Kinetic Family Drawing: A study of mood and anxiety-disordered children. *Psychological Assessment*, 2, 365-375.
- Thomas, C.B., Jones, L.W., & Ross, D.C. (1968). Studies on figure drawings: Biological implications of structural and graphic characteristics. *Psychiatric Quarterly Supplement*, 42, 223-251.
- Thomas, G.V., Chaigne, E., & Fox, T.J. (1989). Children's drawings of topics differing in significance: Effects on size of drawing. *British Journal of Developmental Psychology*, 7, 321-331.
- Thomas, G.V., & Jolley, R.P. (1998). Drawing conclusions: A re-examination of empirical and conceptual bases for psychological evaluations of children from their drawings. *British Journal of Clinical Psychology*, 37, 127-139.
- Tolor, A., & Digrazia, P.V. (1977). The body image of pregnant women as reflected in their human figure drawings. *Journal of Clinical Psychology*, 34, 537-538.
- Trowbridge, M.M. (1995). Graphic indicators of sexual abuse in children's drawings: A review of the literature. *The Arts in Psychotherapy*, 22, 485-493.
- Vaillant, G.E. (1977). *Adaptation to life*. Boston: Little, Brown.
- Vane, J.R. (1981). The Thematic Apperception Test: A review. *Clinical Psychology Review*, 1, 319-336.
- Vass, Z. (1998). The inner formal structure of the H-T-P drawings: An exploratory study. *Journal of Clinical Psychology*, 54, 611-619.
- Veiel, H., & E.M. Coles (1982). Methodological ambiguities of the projective technique: An overview and attempt to clarify. *Perceptual and Motor Skills*, 54, 443-450.
- Viglione, D.J. (1999). A review of recent research addressing the utility of the Rorschach. *Psychological Assessment*, 11, 251-265.
- Viney, L.L., Aitken, M., & Floyd, J. (1974). Sel-regard and size of human figure drawings: An interactional analysis. *Journal of Clinical Psychology*, 30, 581-586.
- Wade, T.C., & Baker, T.B. (1977). Opinion and use of psychological tests. *American Psychologist*, 32, 874-882.
- Wahler, C.A. (1997). Drawing bridges between science and practice. *Journal of Personality Assessment*, 69, 482-487.
- Wagner, E.E. (1962). The use of drawings of hands as a projective medium for differentiating neurotics and schizophrenics. *Journal of Clinical Psychology*, 18, 208-209.
- Waldman, I.D. (1996). Aggressive boys' hostile perceptual and response biases: The role of attention and impulsivity. *Child Development*, 67, 1015-1033.
- Wanderer, Z.W. (1969). Validity of clinical judgments based on human figure drawings. *Journal of Consulting and Clinical Psychology*, 33, 143-150.
- Watkins, C.E., Campbell, V.L., Nieberding, R., & Hallmark, R. (1995). Contemporary practice of psychological assessment by clinical psychologists. *Professional Psychology: Research and Practice*, 26, 54-60.
- Wechsler, D. (1997). *WAIS-III administration and scoring manual*. San Antonio, TX: The Psychological Corporation.
- Weiner, I.B. (1996). Some observations on the validity of the Rorschach Inkblot Method. *Psychological Assessment*, 8, 206-211.
- Weiner, I.B. (1997). Current status of the Rorschach Inkblot Method. *Journal of Personality Assessment*, 68, 5-19.
- Weiner, I.B. (1998). *Principles of Rorschach interpretation*. Mahwah, NJ: Erlbaum.
- Weiner, I.B. (1999). What the Rorschach can do for you: Incremental validity in clinical applications. *Assessment*, 6, 327-338.
- Weiner, I.B. (2000). Using the Rorschach properly in practice and research. *Journal of Clinical Psychology*, 56, 435-438.
- Weiner, I.B., Exner, J.E., & Sciarra, A. (1996). Is the Rorschach welcome in the courtroom? *Journal of Personality Assessment*, 67, 422-424.
- West, M.M. (1998). Meta-analysis of studies assessing the efficacy of projective techniques in discriminating child sexual abuse. *Child Abuse & Neglect*, 22, 1151-1166.
- Westen, D. (1991). Clinical assessment of object relations using the TAT. *Journal of Personality Assessment*, 56, 56-74.
- Westen, D., Lohr, N., Silk, K., Kerber, K., & Goodrich, S. (1985). *Measuring object relations and social cognitions using the TAT: Scoring manual*. Ann Arbor: University of Michigan.
- Westen, D., Lohr, N., Silk, K.R., Gold, L., & Kerber, K. (1990). Object relations and social cognition in borderlines, major depressives, and normals: A Thematic Apperception Test analysis. *Psychological Assessment*, 2, 355-364.
- Westen, D., Ludolph, P., Block, M.J., Wixom, J., & Wiss, F.C. (1990). Developmental history and object relations in psychiatrically disturbed adolescent girls. *American Journal of Psychiatry*, 147, 1061-1068.
- Westen, D., Ludolph, P., Lerner, H., Ruffins, S., & Wiss, C. (1990). Object relations in borderline adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 29, 338-348.
- Westenberg, P.M., & Block, J. (1993). Ego development and individual differences in personality. *Journal of Personality and Social Psychology*, 65, 792-800.
- Whitehead, W.C. (1985). *Clinical dissertation making on the basis of Rorschach, MMPI, and automated MMPI report data*. Unpublished doctoral dissertation, University of Texas Health Science Center at Dallas.
- Wildman, R.W., & Wildman, R.W. II. (1975). An investigation into the comparative validity of several diagnostic tests and test batteries. *Journal of Clinical Psychology*, 31, 455-458.
- Wilson, J.Q., & Herrnstein, R.J. (1985). *Crime and human nature*. NY: Simon & Schuster.
- Winch, R.F., & More, D.M. (1956). Does TAT add information to interviews? Statistical analysis of the increment. *Journal of Clinical Psychology*, 12, 316-321.
- Winter, D.G. (1973). *The power motive*. NY: The Free Press.
- Winter, D.G., John, O.P., Stewart, A.J., Klohn, E.C., & Duncan, L.E. (1998). Traits and motives: Toward an integration of two traditions in personality research. *Psychological Review*, 105, 230-250.
- Winter, D.G., & Stewart, A.J. (1977). Power motive reliability as a function of retest instructions. *Journal of Consulting and Clinical Psychology*, 45, 436-440.
- Wolfner, G., Faust, D., & Dawes, R.M. (1993). The use of anatomically detailed dolls in sexual abuse evaluations: The state of the science. *Applied and Preventive Psychology*, 2, 1-11.
- Woltmann, A.G. (1960). Spontaneous puppetry by children as a projective method. In A.I. Rabin & M.R. Haworth (Eds.), *Projective techniques with children* (pp. 305-312). NY: Grune & Stratton.
- Wood, J.M., & Lilienfeld, S.O. (1999). The Rorschach Inkblot Test: A case of overstatement? *Assessment*, 6, 341-349.
- Wood, J.M., Lilienfeld, S.O., Garb, H.N., & Nezworski, M.T. (2000a). The Rorschach Test in clinical diagnosis: A critical review, with a backward look at Garfield (1947). *Journal of Clinical Psychology*, 56, 395-430.
- Wood, J.M., Lilienfeld, S.O., Garb, H.N., & Nezworski, M.T. (2000b).

Scientific Status of Projective Techniques

- Limitations of the Rorschach as a diagnostic tool: A reply to Garfield (2000), Lerner (2000), and Weiner (2000). *Journal of Clinical Psychology*, 56, 441-448.
- Wood, J.M., Nezworski, M.T., Garb, H.N., & Liliensfeld, S.O. (in press). The misperception of psychopathology: Problems with the norms of the Comprehensive System for the Rorschach. *Clinical Psychology: Science and Practice*.
- Wood, J.M., Nezworski, M.T., & Stejskal, W.J. (1996a). The Comprehensive System for the Rorschach: A critical examination. *Psychological Science*, 7, 3-10.
- Wood, J.M., Nezworski, M.T., & Stejskal, W.J. (1996b). Thinking critically about the Comprehensive System for the Rorschach. A reply to Exner. *Psychological Science*, 7, 14-17.
- Wood, J.M., Nezworski, M.T., & Stejskal, W.J. (1997). The reliability of the Comprehensive System for the Rorschach: A Comment on Meyer (1997). *Psychological Assessment*, 9, 490-494.
- Wood, J.M., Nezworski, M.T., Stejskal, W.J., & McKinzey, R.K. (in press). Problems of the Comprehensive System for the Rorschach in forensic settings: Recent developments. *Journal of Forensic Psychology Practice*.
- Worchel, F.F. & Dupree, J.L. (1990). Projective story-telling techniques. In C.R. Reynolds & R.W. Kamphaus (Eds.), *Handbook of psychological and educational assessment of children: Personality, behavior, & context* (pp. 70-88). NY: Guilford.
- Zeldow, P.B., & McAdams, D.P. (1993). On the comparison of TAT and free speech techniques in personality assessment. *Journal of Personality Assessment*, 60, 181-185.