

OECD


Health Ministerial and High-Level Policy Forum 22-23 January 2024

ZDRAVOTNI PROFIL ZEMĚ 2023: ČESKO

ISS FSV CUNI Kurz Zdravotní politika


Lucie Bryndová, OECD 27.2.2024






- Představení
- OECD a dostupné databáze
- State of Health in the EU serie a obecné závěry
- Zdravotní profil země 2023 pro Česko





- OECD, Health Division
- FSV UK
- MZ ČR
- VZP
- MF ČR
- Deloitte consulting
- Mezinárodní consulting (WHO, European Observatory on Health Systems and Policies, OECD, WB)



- OECD Statistics <u>https://stats.oecd.org/#</u>
 4 regular data collection, annual but for HCQO
- <u>Database Eurostat (europa.eu)</u> <u>https://ec.europa.eu/eurostat/data/database</u>
 - EHIS, EU- SILCpříklad: self-reported colorectal cancer screenings by income group
 - <u>Statistics | Eurostat (europa.eu)</u>
 <u>https://ec.europa.eu/eurostat/databrowser/view/HLTH_EHIS</u>
 <u>PA5I_custom_7681962/default/table?lang=en</u>





State of Health in the EU Country Health Profiles: 2023 edition

launched on 15 December 2023






The Country Health Profiles 2023:


Same structure, new thematic section on mental health



Life expectancy at birth fell greatly during the first two years of the pandemic, and had not recovered yet in 2022




Circulatory diseases and **cancer** were the leading causes of death in 2020, but **COVID-19** accounted for a large share of all deaths




Good news: Adolescent smoking and binge drinking has continued to **decrease** after the pandemic

Share of 15-year-olds reporting smoking in the past month



Share of 15-year-olds reporting having been drunk more than once in their life




Source: HBSC survey

Overall alcohol consumption among **adults** has remained stable, but **heavy alcohol consumption** is a serious public health issue in many countries


Liters per person 15 -10 -5 -0 -2011 2013 2017 2021

Overall alcohol consumption

Share of adults reporting heavy episodic drinking



More bad news: Overweight and obesity continue to grow across EU countries



11




ZDRAVOTNI PROFIL ZEMĚ 2023: ČESKO





Figure 1. Life expectancy in Czechia was about one year and a half lower than the EU average in 2022




Notes: The EU average is weighted. The 2022 data are provisional estimates from Eurostat that may be different from national data and may be subject to revision. Data for Ireland refers to 2021. Source: Eurostat Database. Causes of mortality during the pandemic (2021)

15.7 % Ischaemic heart 5.1 % diseases Stroke 34.3 % 2.4 % 3.9 % Circulatory Colorectal 1.7 % Diseases of the digestive system Pancreas system 1.3 % Breast 17.9 % 19.4 % 1.0 % COVID-19 Cancer Prostate All deaths 3.9 % 3.5 % 140 260 0.5 % External causes Lung Transport accidents 3.6 % Diabetes 5.6 % 0.4 % Respiratory diseases 2.9 % Falls Alzheimer's and other dementias 0.9 % 2.3 % Suicide 2.6 % COPD Pneumonia


Figure 2. Circulatory diseases, cancer and COVID-19 accounted for over 70 % of all deaths in Czechia in 2021

Note: COPD refers to chronic obstructive pulmonary disease. Source: Eurostat Database (data refer to 2021).



Note: Excess mortality is defined as the number of deaths from all causes above the average annual number of deaths over the previous five years before the COVID-19 pandemic (2015-19). Source: OECD Health Statistics 2023, based on Eurostat mortality data.

Figure 3. Excess mortality in Czechia peaked at 25 % in 2021



% change, all-causes of mortality






Figure 4. The gender gap in healthy life years at age 65 is much smaller than the gap in life expectancy



Source: Eurostat Database (data refer to 2020).



Figure 7. Czechia ranks poorly on alcohol consumption, obesity and dietary habits compared to most other EU countries



Notes: The closer the dot is to the centre, the better the country performs compared to other EU countries. No country is in the white "target area" as there is room for progress in all countries in all areas.

Sources: OECD calculations based on HBSC survey 2022 for adolescents indicators; and EHIS 2019 for adults indicators (except for smoking which comes from a national survey).





Figure 8. People with lower education are more likely to smoke and not to engage in physical activity



Note: Low education is defined as people who have not completed secondary education (ISCED 0-2), whereas high education is defined as people who have completed tertiary education (ISCED 5-8). Source: Eurostat Database (based on EHIS 2019).





Figure 9. Czechia spent less on health per capita and as a share of GDP than the EU average in 2021




Note: The EU average is weighted. Source: OECD Health Statistics 2023 (data refer to 2021, except Malta (2020)).

The health system – workforce

Figure 11. Czechia's ratios of doctors and nurses per 1 000 population are just above the EU averages

Practising nurses per 1 000 population



Practising doctors per 1 000 population

Notes: The EU average is unweighted. The data on nurses include all categories of nurses (not only those meeting the EU Directive on the Recognition of Professional Qualifications). In Portugal and Greece, data refer to all doctors licensed to practise, resulting in a large overestimation of the number of practising doctors (e.g. of around 30 % in Portugal). In Greece, the number of nurses is underestimated as it only includes those working in hospitals. Source: OECD Health Statistics 2023 (data refer to 2021 or the nearest available year).






Figure 12. A substantial number of deaths could be avoided in Czechia through more effective prevention and healthcare interventions



Notes: Preventable mortality is defined as death that can be mainly avoided through public health and primary prevention interventions. Treatable (or amenable) mortality is defined as death that can be mainly avoided through healthcare interventions, including screening and treatment. Both indicators refer to premature mortality (under age 75). The lists attribute half of all deaths from some diseases (e.g. ischaemic heart disease, stroke, diabetes and hypertension) to the preventable mortality list and the other half to treatable causes, so there is no double-counting of the same death. Source: Eurostat Database (data refer to 2020).



Figure 13. Women in the highest income group are more likely to participate in breast and cervical cancer screening




Notes: Low income is defined as the population in the lowest income quintile, whereas high income is defined as the population in the highest income quintile. The proportions refer to people who report having undergone a test in the two years preceding the survey. Source: Eurostat Database (EHIS 2019 survey data). Performance – accessibility: low unmet medical care needs reported in 2022 in Czechia

Notes: Data refer to unmet needs for a medical examination or treatment due to costs, distance to travel or waiting times. Caution is required in comparing the data across countries as there are some variations in the survey instrument used.

Source: Eurostat Database, based on EU-SILC (data refer to 2022, except Norway (2020) and Iceland (2018)).

Figure 15. Low unmet medical care needs were reported in 2022 in Czechia




high service coverage *Figure 16. Czechia has higher number of*

physician consultations than the EU average


Teleconsultations

In-person consultations



Sources: OECD Health Statistics 2023.

Figure 17. Public coverage rate was higher than the EU averages across all services except pharmaceuticals in 2021 Outpatient Therap




Notes: Outpatient medical services mainly refer to services provided by generalists and specialists in the outpatient sector. Pharmaceuticals include prescribed and over-the-counter medicines and medical non-durables. Therapeutic appliances refer to vision products, hearing aids, wheelchairs and other medical devices. The EU average is unweighted. Source: OECD Health Statistics 2023



...and lower-than-EU average copayments


Figure 18. A large proportion of out-of-pocket payments in Czechia are pharmaceutical copayments



Notes: VHI refers to voluntary health insurance, which also includes other voluntary prepayment schemes. The EU average is weighted. Sources: OECD Health Statistics 2023; Eurostat Database (data refer to 2021).



Figure 19. Hospital discharges and bed occupancy rates fell sharply during the pandemic



Note: The EU average is unweighted. Sources: OECD Health Statistics 2023 and Eurostat Database.





Figure 21. The numbers of medical and nursing graduates have increased in recent years

Czechia

Notes: The number of medical graduates includes both domestic and international students. The steep increase in the number of nursing graduates in 2017 was driven by the inclusion for the first time of nurses with a lower level of qualifications (not meeting the criteria spelled out in the EU Directive on the Recognition of Professional Qualifications). The EU average is unweighted.

Sources: OECD Health Statistics 2023; Eurostat Database.



- Life expectancy at birth in Czechia in 2022 (79.1 years) was about 1.5 years below the EU average (80.7 years).
- Nearly half of all deaths in Czechia in 2019 can be attributed to behavioural risk factors, including dietary risks, tobacco smoking, alcohol consumption and low levels of physical activity.
- Health spending in Czechia accounted for 9.5 % of GDP in 2021, which is 2 percentage points above the pre-pandemic level, but well below the EU average of 11.0 %. Per capita spending was a quarter lower than the EU average, but the public share of health spending is the highest among EU countries (86 % compared to an EU average of 81 %).
- Czechia provides a broad benefits package, with relatively low unmet medical care needs for financial reasons.
- Mortality rates from preventable and treatable causes were 25 % higher than the EU averages in 2020.
- Screening programmes for breast, cervical and colorectal cancer are well established, with participation rates above the EU averages, but the pandemic disrupted these programmes, causing backlogs that may hinder the early detection of cancer.
- The COVID-19 pandemic challenged the provision of elective (non-urgent) care. While recovery in the volume of diagnostic exams in 2021 was strong, surgical activities such as knee replacements had not yet recovered.
- While the density of doctors and nurses has increased over the past decade, demand for care has also increased owing to population ageing. The medical workforce is ageing too: over one-third of all doctors in 2021 were aged over 55 and may be expected to retire in the coming decade.
- About one in seven people in Czechia were estimated to have a mental health disorder in 2019. The most prevalent were depressive, anxiety, and alcohol and drug-use disorders.

THANK YOU


Health at a Glance: Europe 2022 STATE OF HEALTH IN THE EU CYCLE



Lucie.Bryndova@oecd.org



https://www.oecd.org/health/









https://www.oecd.org/health/ready-for-the-next-crisis-investing-in-health-system-resilience-1e53cf80-en.htm